REFERENCE


- American Society for Testing and Materials ASTM D 6193-16. Standard practices for stitches and seams. In: Annual Book of ASTM Standards. USA: Easton; 2016
- 2. A Choudhary, M Sikka, and P Bansa., 2018. The Study of Sewing Damages and Defects in Garments. Research Journal of Textile and Apparel© Emerald Publishing Limited 1560-6074. India.
- 3. A Gurarda, 2019., Seam Performance of Garments. Textile Engineering Department, Faculty of Engineering, Uludag University, Bursa, Turkey
- 4. Aldrich. 2004. Fabric, Form and Flat Pattern Cutting. Blackwell Science Ltd.: Oxford.
- 5. Dr. P. P. Gopalakrishnan, 2020. Analysis of sewing defects and control measures for apparel industry. SSRG International Journal of Polymer and Textile Engineering (SSRG-IJPTE) Volume 7 Issue 2, India.
- 6. Errol Wood, 2009. Formation and Properties of Knitted Structures. The Australian Wool Education Trust licensee for educational activities University of New England. Australia
- Hajji, A., Mhada, F., Gharbi, A., Pellerin, R., and Malhamé, R. (2011). Integrated product specifications and productivity decision making in unreliable manufacturing systems. International Journal (if Production Economics, 129, 32-42. doi: 10.1016/j. pe.2010.08.008.
- 8. Joseph M. Juran, 1998. Juran's Quality Handbook. Fifth Edition.
- Mahajan P.M., Kolhe S.R., and Patil P.M., 1009. A Review of Automatic Fabric Defect Detection Techniques. Advances in Computational Research, ISSN: 0975– 3273, Volume 1, Issue 2. India.
- N Ali, A Rehan, Z Ahmed, H Memon, A Hussain, 2014. Effect of Different Types of Seam, Stitch Class and Stitch Density on Seam Performance. J. App. Em. Sc Vol 5, Issue 1. Pakistan
- 11. N Lemma, 2019. "Minimize Defects of Products to Improve Quality" by Statistical Quality Control Tools in Garment. International Journal of Engineering Technology and Scientific Innovation. Ethiopia.
- 12. Osama A, 2017. Inspection methods and impact on Quality Level of final Products. Egypt: Ministry of Trade and Industry, Egypt.
- 13. P. Jana, 2015. Sewing Equipment and Work Aids. National Institute of Fashion Technology, New Delhi, India.
- R Pardiyono and R Indrayani., 2020. Product Quality Control with Six Sigma and Preventive Maintenance. Journal of Physics: Conference Series 1477 (5), 052046. Indonesia.

- 15. Rayman, D., Burns, D. J., & Nelson, C. N. (2011). Apparel Product Quality: Its Nature and Measurement. Journal of Global Academy of Marketing Science, 21(1), 66–75.
- 16. Tsiotsou, R. (2006). The role of perceived product quality and overall satisfaction on purchase intentions. International Journal (if Consumer Studies, 30, 207 7. ⁰]:
 10. Ill I1j.1470-643 1.2005.00477.x.
- 17. Xiaohui Zhang., Pibo Ma., 2018. Application of Knitting Structure Textiles in Medical Areas. China.
- 18. Zoran Stjepanovi[°]c., Helena Strah., 1998. Selection of Suitable Sewing Needle Using Machine Learning Techniques. International Journal of Clothing Science and Technology, Vol. 10 No. 3/4, 1998, pp. 209-218, Slovenia.
- 19. _____, 2023, Cloth Points from Groz-Beckert, Groz-Beckert® Catalogue.
- 20. _____, 2023, Sewing Machine Needles for The Apparel Industry, Groz-Beckert® Catalogue.
- 21. _____, 2023, Schmetz Needle Guide.



APPENDIX

Appendix 1 Tech Pack of Style YOB23070



Continued of Appendix 1 Tech Pack of Style YOB23070

Fabric/trimming/sub-materials											
Item	Item NO.	Maker/ Arrange	Composition	Standards	Price	Yardage	Position & Remaeks				
							Specification				
fabric	CH20.7004/DN/FG sublimation print(Surface=Flat)	Asietex	E/100%	160 × 40			Front Body G color				
fabric	CH20.7004/DN/FG (Surface=Flat)	Asietex	E/100%	160 × 40			Back Body, Collar, Sleeve A color				
print	rubber print	LG	_	6.5cm	<u> </u>	1	Back side of Right Shoulder				

Size Chart

S i z e (cm)	BODY LENGT H (CB)	BUST WIDTH	HEM WIDTH	SHOULDER WIDTH	NECK TO SLEEVE	SLEEVE LENGTH	ARM HOLE LENGTH	SLEEVE WIDTH	SLEEVE HEM WIDTH	INSIDE NECK WIDTH	FRONT NECK DEPTH	BACK NECK DEPTH	COLLAR WIDTH		Neckline	襟ぐり 引張り 回り
J140	55.0	43.0	43.0	39.0	36.5	17.0	18.5	18.0	16.0	12.5	10.0	1.5	2.0	\nearrow	51.4	31.0
SS	59.0	47.0	47.0	 41.5	38.3	17.5	24.5	24.0	17.5	12.5	10.0	1.5	2.0	\nearrow	51.4	31.0
S	62.0	50.0	50.0	44.0	40.0	18.0	25.0	25.0	18.0	12.5	10.0	1.5	2.0	\nearrow	51.4	32.0
Μ	65.0	53.0	53.0	46.5	42.3	19.0	26.0	26.0	19.0	12.5	10.0	1.5	2.0	\nearrow	51.4	33.0
L	68.0	56.0	56.0	 49.0	44.5	20.0	27.0	27.0	20.0	13.5	10.5	1.5	2.0	\nearrow	54.0	34.0
0	71.0	59.0	59.0	51.5	46.8	21.0	28.0	28.0	21.0	14.5	11.0	1.5	2.0	\nearrow	56.6	35.0
хо	74.0	62.0	62.0	 54.0	49.0	22.0	29.0	29.0	22.0	15.5	11.5	1.5	2.0		59.2	36.0

Appendix 2 The Result of Sewing Variation

