

## DAFTAR PUSTAKA

- Aicha Boukhriss, D. B.-P. (2015). Sol-gel based water repellent coatings for textiles. 1415-1425.
- Barbara Simončič, B. T. (2010). Sol-gel Technology for Chemical Modification of Textiles. In *Surface Modification Systems For Creating Stimuli Responsiveness Of Textile* (p. Chapter 3). Slovenia: University of Ljubljana.
- Brigita Tomsic, B. S. (2008). Sol-gel coating of cellulose fibres with antimicrobial and repellent properties. *Journal of Sol-Gel Science and Technology*, 47(1):44-57.
- Hendrodyantopo S., d. (1998). *Teknologi Penyempurnaan*. Bandung: Sekolah Tinggi Teknologi Tekstil.
- Luciana. (2019). PENGARUH KONSENTRASI DAN WAKTU PROSES ZAT PELEMAS NONIONIK SNOWSILICONE RDS-CC TERHADAP PEGANGAN KAIN PADA PROSES PENYEMPURNAAN KAIN KAPAS. *Tekno Insentif*, Vol. 13:31-35.
- Momentive Performance Materials Inc. (n.d.). *NXT\* Silane*. From [momentive.com](http://momentive.com).
- Soeprijono, P. (1973). *Serat Serat Tekstil*. Bandung: Institut Teknologi Tekstil.
- Wei, Q. (2009). *Surface modification of textiles*. Woodhead, Textile.
- Yunjie Yin, C. W. (2013). Water-repellent functional coatings through hybrid SiO<sub>2</sub>/HTEOS/CPTS sol on the surfaces of cellulose fibers. *Colloids and Surfaces A Physicochemical and Engineering Aspects*, 417:120–125.
- Annisa Mustikaning Ayu, Sri Wardhani, & Darjito. (2013). STUDI PENGARUH KONSENTRASI NaOH DAN pH TERHADAP SINTESIS SILIKA XEROGEL BERBAHAN DASAR PASIR KUARSA. *KIMIA.STUDENTJOURNAL - UNIVERSITAS BRAWIJAYA MALANG*, 2, No. 2, 517–523.
- Coniwanti, P., Srikanth, R., & Apriliyanni, A. (2008). *PENGARUH PROSES PENGERINGAN, NORMALITAS HCl, DAN TEMPERATUR PEMBAKARAN PADA PEMBUATAN SILIKA DARI SEKAM PADI*.
- Dan, Y., & Suryani, M. P. (2012). PEMANFAATAN SILIKA DARI SEKAM PADI PADA KOMPOSIT POLIESTER TEK JENUH-SILIKA. *Desember*, 2(2).
- Husnawati Yahya. (2017). KAJIAN BEBERAPA MANFAAT SEKAM PADI DI BIDANG TEKNOLOGI LINGKUNGAN: SEBAGAI UPAYA PEMANFAATAN LIMBAH PERTANIAN BAGI MASYARAKAT ACEH DI MASA AKAN DATANG. *Prosiding Seminar Nasional Biotik 2017*, 266–268.

IlhamPratomo, Sri Wardhani, & DanarPurwonugroho. (2013). PENGARUH TEKNIK EKSTRAKSI DAN KONSENTRASI HCl DALAM EKSTRAKSI SILIKA DARI SEKAM PADI UNTUK SINTESIS SILIKA XEROGEL. *KIMIA.STUDENTJOURNAL - UNIVERSITAS BRAWIJAYA MALANG*, 2, No.1, 358–364.

Katueangngan, K., Tulyapitak, T., Saetung, A., Soontaranon, S., & Nithi-Uthai, N. (2020). Interfacial Interactions of Silica as Interfacial Modifier. *Journal of Vinyl and Additive Technology*, 26(3), 291–303. <https://doi.org/10.1002/vnl.21743>

Kjeldsen, L. S., & Bonefeld-Jørgensen, E. C. (2013). Perfluorinated compounds affect the function of sex hormone receptors. *Environmental Science and Pollution Research*, 20(11), 8031–8044. <https://doi.org/10.1007/s11356-013-1753-3>

Komalasari, M., Tresna, L. A., Asri, W., Ardy, H., & Mardiyati, Y. (t.t.). *Silica and Silica-Lignin Hybrid Extracted From Rice Husk As.*

Lemessa Jembere, A. (2017). Studies on the Synthesis of Silica Powder from Rice Husk Ash: Replacement of Commercial Precipitated Silica. *International Journal of Materials Science and Applications*, 6(1), 37. <https://doi.org/10.11648/j.ijmsa.20170601.16>

Merget, R., Bauer, T., Küpper, H., Philippou, S., Bauer, H., Breitstadt, R., & Bruening, T. (2002). Health hazards due to the inhalation of amorphous silica. *Archives of Toxicology*, 75(11–12), 625–634. <https://doi.org/10.1007/s002040100266>

Prabha, S., Durgalakshmi, D., Rajendran, S., & Lichtfouse, E. (2021). Plant-derived silica nanoparticles and composites for biosensors, bioimaging, drug delivery and supercapacitors: a review. *Environmental Chemistry Letters*, 19(2), 1667–1691. <https://doi.org/10.1007/s10311-020-01123-5>

Sankar, S., Sharma, S. K., Kaur, N., Lee, B., Kim, D. Y., Lee, S., & Jung, H. (2016). Biogenerated silica nanoparticles synthesized from sticky, red, and brown rice husk ashes by a chemical method. *Ceramics International*, 42(4), 4875–4885. <https://doi.org/10.1016/j.ceramint.2015.11.172>

Sato, Y., Wakida, T., Tokino, S., Niu, S., Ueda, M., Mizushima, H., & Takekoshi, S. (1994). Effect of Crosslinking Agents on Water Repellency of Cotton Fabrics Treated with Fluorocarbon Resin. *Textile Research Journal*, 64(6), 316–320. <https://doi.org/10.1177/004051759406400602>

Simončič, B., Tomšič, B., Černe, L., Orel, B., Jerman, I., Kovač, J., Žerjav, M., & Simončič, A. (2012). Multifunctional water and oil repellent and antimicrobial properties of finished cotton: influence of sol-gel finishing procedure. *Journal of Sol-Gel Science and Technology*, 61(2), 340–354. <https://doi.org/10.1007/s10971-011-2633-2>

Skoog, D. A., Holler, F. J., & Nieman, T. A. (1998). *Principles of Instrumental Analysis*. Saunders College Pub. [https://books.google.co.id/books?id=\\_7MPAQAAQAAJ](https://books.google.co.id/books?id=_7MPAQAAQAAJ)

SNI ISO 4920:2012. Cara uji ketahanan terhadap pembasahan permukaan (Uji siram). Badan Standardisasi Nasional. (BSN)

SNI 0276:2009. Cara uji kekuatan tarik dan mulur kain tenun. Badan Standardisasi Nasional. (BSN)

SNI 08-1511-2004. Cara uji kelangsian kain. Badan Standardisasi Nasional. (BSN)

SNI ISO 6330:2015. Prosedur pencucian dan pengeringan rumah tangga untuk pengujian tekstil. Badan Standardisasi Nasional. (BSN)

