

DAFTAR PUSTAKA

- [1]. A.P. Mouritz, B.N. Cox, A mechanistic interpretation of the comparative in-plane mechanical properties of 3D woven, stitched and pinned composites, *Composites Part a-Applied Science And Manufacturing* 41 (2010) 709–728.
- [2]. Chen X, Taylor LW, Tsai L. An overview on fabrication of three-dimensional woven textile preform for composites. *Text Res J* 2011; 81: 932–44.
- [3] Jianxia Yang¹, Yitong Guo¹, Lan Yao¹, Qingqing Ni² and Yiping Qiu¹ Effects of Kevlar volume fraction and fabric structures on the mechanical properties of 3D orthogonal woven ramie/Kevlar reinforced poly (lactic acid) composites
- [4]. M.B. Ruggles-Wrenn, S.A. Alnatifat, Fully-reversed tension-compression fatigue of 2D and 3D woven polymer matrix composites at elevated temperature, *Polymer Testing* 97 (2021), 107179.
- [5]. Q. Hu, H. Memon, Y. Qiu, Y. Wei, The failure mechanism of composite stiffener components reinforced with 3D woven fabrics, *Materials* 12 (2019) 2221.
- [6]. Q. Hu, H. Memon, Y. Qiu, W. Liu, Y. Wei, A comprehensive study on the mechanical properties of different 3D woven carbon fiber-epoxy composites, *Materials* 13 (2020) 2765.
- [7]. Sarikanat, M., et al. "Mechanical anisotropy in unidirectional glass fabric reinforced oligomeric siloxane modified polyester composites", *Fibers and Polymers*, V ol. 13, No. 6, 2012, pp. 775-781.
- [8]. Shiyao Lu¹, Xiaogang Chen^{1,2}, Jianbin Nie¹ and Yi Zhou³ Design and manufacture of 3D rectangular box-shaped fabrics.
- [9]. Cao HJ, Qian K, Wei QF, et al. "Low-velocity impact behaviour of 3-D glass fibre hollow integrated core sandwich composites". *Polym Polym Compos*, 18(4), 2010, 175-179.
- [10]. Cao HJ, Qian K, Wei QF, et al. "Compression after impact of 3-D integrated hollow core sandwich composites". *Tekst Konfeksiyon*, 21(1), 2011, 16-21.
- [11] Ahmad Nayan, T. H. (2022). Analisa Struktur Mikro Material Komposit Polimer Berpenguat Serbuk Cangkang Kerang . *Malikussaleh Journal of Mechanical Science and Technology*, 24.
- [12] Dimas Bagus, I. P. (2020). Simulasi Delaminasi Pada Komposit Glass Fiber Reinforced Polymer (GFRP) dan Carbon Fiber Reinforced Polymer Menggunakan Metode Cohesive Zone Model (CZM) dan Virtual Crack Closure Technique (VCCT). *Jurnal Teknik ITS*, 6.
- [13] Eny Apriyanti, U. C. (2024). *PENGEMBANGAN METODE FILTRASI MENGGUNAKAN MEMBRAN KERAMIK BERBASIS FLY ASH BATUBARA*.

PT. Sonpedia Publishing Indonesia.

- [14] Fauzan. (2022). *Pemodelan Elemen Hingga Menggunakan Software Abaqus*. Unhas Press.
- [15] Grishchuk, S. (2016). Vinyl Ester Resin Modified with Acrylated Epoxidised Soybean (AESO) and Linseed (AELO) Oils: Effect of Additional Urethane Crosslinking. *MTA-BME Research Group for Composite Science and Technology and Economics*, 8.
- [16] Moeliono, M. (2012). The Making of 3-D Woven Fabric. 14.
Nergiz Emirhanova, Y. K. (2008). Effects of knit structure on the Dimensional and Physical Properties of Winter Outerwear Knitted Fabrics. *Fibres & Textiles in eastern europe*, 69-70.
- [17] Tymrak BM, K. M. (2014). Mechanical properties of components fabricated with open-sourced 3-D printers under realistic environmental conditions. *Mater Des*, 242-246.
- [18] Widodo, B. (2008). Analisa Sifat Mekanik Komposit Epoksi Dengan Penguat Serat Pohon Aren (Ijuk) Model Lamina Berorientasi Sudut Acak (random). *Jurnal Teknologi Technoscientia*, 5.
- [19] Adeniran, O., Cong, W., & Oluwabunmi, K. (2022). Thermoplastic matrix material influences on the mechanical performance of additively manufactured carbon-fiber-reinforced plastic composites. *Journal of Composite Materials*, 56(9), 1391–1405.
<https://doi.org/10.1177/00219983221077345>
- [20] Astakhov, V. P. (2018). *Mechanical Properties of Engineering Materials: Relevance in Design and Manufacturing* (pp. 3–41).
https://doi.org/10.1007/978-3-319-78488-5_1
- [21] Charles Glath, M., Koudela, K., & Strauch, E. (2016). Compression behavior of ultra-high modulus carbon/epoxy composites using ASTM D6641 and SACMA SRM 1R-94. *Journal of Composite Materials*, 50(5), 701–712.
<https://doi.org/10.1177/0021998315580829>
- [22] Cheema, M. S., Shah, T. H., & Anand, S. C. (2019). Development and characterisation of nonwoven fabrics for apparel applications. *Vlakna a Textil*, 26(1), 50–57. <https://doi.org/10.4172/2165-8064.1000359>
- [23] Gopinath, S., Murthy, A. R., Iyer, N. R., & Prabha, M. (2015). Behaviour of reinforced concrete beams strengthened with basalt textile reinforced concrete. *Journal of Industrial Textiles*, 44(6), 924–933.
<https://doi.org/10.1177/1528083714521068>
- [24] Hurd, J. C. H., & Doyle, P. J. (1953). Fundamental aspects of the design of knitted fabrics. *Journal of the Textile Institute Proceedings*, 44(8), P561–P578. <https://doi.org/10.1080/19447015308687861>
- [25] Kartini, R., Darmasetiawan, H., Karo, A. K., & Sudirman, D. (2002). PEMBUATAN DAN KARAKTERISASI KOMPOSIT POLIMER

- BERPENGUAT SERAT ALAM. In *Jurnal Sains Materi Indonesia Indonesian Journal of Materials Science* (Vol. 3, Issue 3).
- [26] Khatkar, V., & Behera, B. K. (2022). Influence of different textile structure reinforced composite leaf spring on their fabrication potential. *Journal of Industrial Textiles*, 51(3), 4949S-4972S. <https://doi.org/10.1177/1528083720974421>
- [27] Li, L. (2023). *Next-Generation Fibre-Reinforced Composites*. www.intechopen.com
- [28] Li, Q., & Matuana, L. M. (2003). Effectiveness of Maleated and Acrylic Acid-Functionalized Polyolefin Coupling Agents for HDPE-Wood-Flour Composites. *Journal of Thermoplastic Composite Materials*, 16(6), 551–564. <https://doi.org/10.1177/089270503033340>
- [29] Meira, G., Soegiarty, T., Sobandi, B., Pendidikan, J., Rupa, S., & Pendidikan Bahasa, F. (2013). Deskriptif Ornamen Kain Tenun Ikat dengan Bahan Sutera Alam di Kampung Tenun Panawuan Kabupaten Garut). In *Kriya Tenun dan Tekstil* (Vol. 1, Issue 3).
- [30] Raj, M., Maheta, J., & Raj, L. (2022). Synthesis characterization and application of hexafunctional epoxy resin and comparison against commercial epoxy resin. *Polymers and Polymer Composites*, 30. <https://doi.org/10.1177/09673911221076721>
- [31] Subramanian, S. M., & Murugan, S. S. (2020). Mechanical Properties of Materials: Definition, Testing and Application. *International Journal of Modern Studies in Mechanical Engineering (IJMSME)*, 6(2), 28–38. <https://doi.org/10.20431/2454-9711.0602003>
- [32] Syafiq, A., Sumbodo, W., Widodo, R. D., & Mesin, J. T. (2018). Pengaruh anyaman 2D triaxial braided fabric filler kain goni terhadap kekuatan bending dan struktur makro komposit bermatrik polyester. In *Jurnal Kompetensi Teknik* (Vol. 10, Issue 2).
- [33] Wu, J., Jin, Z., Jin, J., Yan, Y., & Tao, J. (2020). Study on the tensile modulus of seamless fabric and tight compression finite element modeling. *Textile Research Journal*, 90(1), 110–122. <https://doi.org/10.1177/0040517519859931>
- [34] Yang, R., Wang, Y., Ran, X., & Liu, W. (2023). A Comparison Study on Toughening Vinyl Ester Resins Using Different Nanocarbon Materials. *Polymers*, 15(23). <https://doi.org/10.3390/polym15234536>
- [35] Zhang, Y., Luo, B., Fu, M., Jia, L., Chen, C., Zhou, G., & Wang, C. (2023). Space Charge Characteristics at the Interface of Laminated Epoxy Resin. *Molecules*, 28(14). <https://doi.org/10.3390/molecules28145537>