

DAFTAR PUSTAKA

- Ahmed, H. M., El-Halwagy, A. A., Abdel-Aaty, A. dan Garamoon, A. A. (2019) "Plasma application in textile." *Journal of Textiles, Coloration and Polymer Science*, 16(1), hal. 15-32.
- Ahmed, D. & Rehman, U. (2010), "An update on the technology and application of plasma treatment for textiles," *Dissertation*, School of textiles, University of Borås, Sweden.
- Azad, A.K. (2016) "Fog collection on plant surfaces and biomimetic applications." *Dissertation*, Bonn University.
- Bai, H., Zhang, C., Long, Z., Geng, H., Ba, T., Fan, Y., Yu, C., Li, K., Cao, M. dan Jiang, L. (2018) "A hierarchical hydrophilic/hydrophobic cooperative fog collector possessing self-pumped droplet delivering ability." *Journal Material Chemical A*, 6. 20966.
- Bardos, L., Barankova, H. (2009) "Plasma processes at atmospheric and low pressure," *Vacuum*, 83, hal. 522–527: Tersedia di: www.elsevier.com/locate/vacuum
- Cao, M., Xiao, J., Yu, C., Li, Kan. dan Jiang, L. (2015) "Hydrophobic/hydrophilic cooperative janus system for enhancement of fog collection." *Small*. 11 (34), hal. 4379–4384.
- Chhatre, S. (2014) "Can an insect teach architecture?," <https://reducedplanckconstant.wordpress.com/tag/shreerang-chhatre/> (Diakses: 10 April 2021).
- Chou, H.T., Chen Y. C., Lee, C. Y., Chang, H. Y. dan Tai, N. H. (2017) "Biomimetic structure of carbon fiber cloth grafted with poly(*N*-isopropylacrylamide) for water collection and smart gates," *Royal Society of Chemistry*, 7, hal. 45799-45806.
- Conzatti, G., Cavalie, S., Combes, C., Torrisani, J., Carrere, Ne. dan Tournette, A. (2017) "PNIPAM grafted surfaces through ATRP and RAFT polymerization: Chemistry and bioadhesion," *Colloids and Surfaces B Biointerfaces*, 151. hal. 143-155.

- D'Angelo (2010). "Plasma-surface interaction, plasma technology for hyperfunctional surfaces," *Wiley VCH Verlag GmbH & Co. KGaA, Weinheim*, hal. 63-77.
- Dinnata, R. Y. W. (2019). "Kekeringan, Warga Gunungkidul Harus Jalan 1,5 Km untuk Air Bersih." <http://ayoyogya.com/read/2019/11/05/37770/kekeringan-warga-gunungkidul-harus-jalan-15-km-untuk-air-bersih> (Diakses: 12 Mei 2020).
- Dyer, D. J., Feng, J., Fivelson, C., Paul, R., Schmidt, R. dan Zhao, T. (2004). "Polymer brushes: synthesis, characterization, applications, photoinitiated polymerization self-assembled monolayers," *Wiley VCH Verlag GmbH & Co. KGaA, Weinheim*, hal. 129-150.
- Epaillard, F. P., Chevet, B., dan Brosse, J. C., (1994). "Study of an aramid surface reactivity: modification with a cold plasma or an electron beam followed by a postgrafting reaction," *Journal of Applied Polymer Science*, 52, hal. 1047-1061
- Fessehaye, M., Wahab. S.A.A., Savage, M.J., Kohler, T., Gherezghiher, T. dan Hurni, H. (2014), "Fog-water collection for community use." *Renewable and Sustainable Energy Reviews*, 29, hal. 52-62.
- Fujimoto K, Takebayashi Y, Inoue H, Ikada Y. (1993), "Ozone-induced graft polymerization onto polymer surface." *Journal of Polymer Science Part A: Polymer Chemistry*, 31(4), hal. 1035-1043.
- Graham, W., G. (2007) "The physics and chemistry of plasmas for processing textiles and other materials," Woodhead Publishing Limited and CRC Press LLC, hal. 3-23.
- Granville, A., M. dan Brittain, W., J. (2004) "Recent advances in polymer brush synthesis, polymer brushes: synthesis, characterization, applications," *Wiley VCH Verlag GmbH & Co. KGaA, Weinheim*, 33-50.
- Guera, S. E. dan Lima, E. V. (2013) "Handbook of polymer synthesis, characterization," *John Wiley & Sons, Inc.Publication*.
- Hadjichristidis, N., Pitsikalis, M., Latrou, H., Driva, Chatzichristidi, M., Sakellariou, G. dan Lohse, D. (2010), "graft copolymers, encyclopedia of polymer science and technology." *Encyclopedia of Polymer Science and Technology*.

- Halford, B. (2018), "Can stripping the air of its moisture quench the world's thirst? Water-from-air technologies use science to squeeze water from the atmosphere." <https://cen.acs.org/environment/water/stripping-air-moisture-quench-worlds/96/i41?referral=89EF4FBB-01B5-4EBF-9A2A-C20B59FF59AD> (Diakses: 11 Mei 2020).
- Hetemi, D. dan Pinson, J. (2017), "Surface functionalisation of polymers," *Chemical Society Reviews*, 46, hal. 5701-5713.
- Hiruta, Y., Nagumo, Y., Suzuki, Y., Funatsu, T., Ishikawa, Y. dan Kanazawa, H. (2015) "The effects of anionic electrolytes and human serum albumin on the LCST of poly(N-isopropylacrylamide)-based temperature-responsive copolymers," *Colloids and Surfaces B: Biointerfaces* 132, hal. 299–304.
- Iwata H, Kishida A, Suzuki M, Hata Y, Ikada Y. (1988) "Oxidation of polyethylene surface by corona discharge and the subsequent graft polymerization." *Journal of Polymer Science Part A: Polymer Chemistry*, 26(12), hal. 3309-3322.
- Jarimi, H., Powell, R. dan Riffat, S. (2019), "Review of sustainable methods for atmospheric water harvesting," *International Journal of Low-Carbon Technologies*, 15, hal. 253–276.
- Ju, J., Bai, H., Zheng, Y., Zhao, T., Fang, R. dan Jiang, I. (2012), "A multi-structural and multi-functional integrated fog collection system in cactus," *nature communications*, 3:1247, Tersedia pada: www.nature.com/naturecommunications. DOI: 10.1038/ncomms2253.
- Katesripongsa, P. dan Trongsatitkul, T. (2019) "An optimization of microwave-assisted grafting of poly(N-isopropylacrylamide) (PNIPAM) onto nylon-6 porous film for thermo-responsive gating membrane," *The Japan Society of Mechanical Engineers*.
- Lanzalao, S., Turon, P., Wels, C., Aleman, C. dan Armelin, E. (2019), "Mechanism of adhesion and graft polymerization of pnipam thermoresponsive hydrogel to polypropylene meshes." *Soft Matter*. Tersedia pada: www.rsc.org. DOI: 10.1039/C9SM00412B.
- Liang, N. dan Kitts, D., D. (2014) "Antioxidant property of coffee components: assessment of methods that define mechanisms of action," *Molecules*, 19 (11), hal. 19180-19208. Tersedia pada www.mdpi.com/journal/molecules.

- Lubben, J. F., A. Keck, C. T., Kemajou, M., Brauning, J. E., Frick dan Melnikov, J. (2018) "Functionalization of textiles with thermoresponsive polymers." *Journal of Fashion Technology & Textile Engineering* Tersedia pada: <https://doi.org/10.4172/2329-9568.s4-016>.
- Maity, N. dan Dawn, A. (2020) "Conducting polymer grafting: recent and key developments," *Polymers*, 12, 709.
- Marcandalli, B. dan Riccardi, C. (2007) "Plasma treatments of fibres and textiles," *Woodhead Publishing Limited and CRC Press LLC*, hal. 282-298.
- N.D. (2019) *Drinking Water*. <https://www.who.int/news-room/fact-sheets/detail/drinking-water> (Diakses: 12 Mei 2020).
- N.D. (2019) Enam Bulan Alami Kekeringan, Warga Cibodas Krisis Air Bersih. <https://www.pasundanekspres.co/jabar/bandung/enam-bulan-alami-kekeringan-warga-cibodas-krisis-air-bersih/> (Diakses: 12 Mei 2020).
- Nageswaran, G., Jothi, L. dan Jagannathan, S. (2019) "Plasma assisted polymer modifications," *Non Thermal Plasma Technology for Polymeric Materials*, Elsevier Inc, hal. 95-127. Tersedia pada : <https://doi.org/10.1016/B978-0-12-813152-7.00004-4>.
- Nur, M. (2011) "Fisika Plasma dan Aplikasinya," *Badan Penerbit Universitas Diponegoro Semarang*, ISBN : 978-979-097-093-9.
- Park, J. K. dan Kim, S. (2019) "Three-dimensionally structured flexible fog harvesting surfaces inspired by namib desert beetles," *Micromachines*, 10(3), 201.
- Peran J dan Razic S. E., (2019) "Application of atmospheric pressure plasma technology for textile surface modification." *Textile Research Journal*, 0(00) hal. 1–24.
- Poncin-Epaillard F, Chevet B, Brosse J. (1994) "Study of an aramid surface reactivity: Modification with a cold plasma or an electron beam followed by a postgrafting reaction." *Journal of Applied Polymer Science*, 52(8), hal. 1047-1061.
- Prayudie, U. dan Novarini, E. (2015). "Modifikasi Permukaan Serat Poliester menggunakan Sistem Plasma Non Termal Tekanan Atmosfer dengan Metode Lucutan Korona oleh Ionisasi Udara." *Arena Tekstil*, 30 (1), hal. 45-54.

- Raebesi, F., U. (2019). “Kemarau Panjang, Masyarakat Malaka Kesulitan Air Bersih.” <https://voxntt.com/2019/10/24/kemarau-panjang-masyarakat-malaka-kesulitan-air-bersih/53376/> (Diakses: 12 Mei 2020).
- Rajaram. M (2016), “Enhancement of fog-collection efficiency of a raschel mesh using surface coatings and geometric changes,” *Thesis*, Master of Science in Mechanical Engineering. The University of Texas at Arlington.
- Ramadhan, A.V. dan Hariyono, D. (2019) “Pengaruh pemberian naungan terhadap pertumbuhan dan hasil pada tiga varietas tanaman stroberi,” *Jurnal Produksi Tanaman*. 7. hal. 1-7.
- Ren, F., Li, G., Zhang, Z., Zhang, X., Fan, H., Zhou, C., Wang, Y., Zhang, Y., Wang, C., Mu, K., Su, Y., dan Wu, D. (2017). “A single-layer Janus membrane with dual gradient conical micropore arrays for self-driving fog collection.” *Journal Material Chemical A*. 5. 18403.
- Rivera (2011), “Aerodynamic collection efficiency of fog water collectors,” *Atmospheric Research*. 102(3). hal 335–342.
- Rossa, V., N. (2018) “Ada 33,4 Juta Penduduk Indonesia Kekurangan Air Bersih.” <https://www.suara.com/health/2018/11/23/162639/ada-334-juta-penduduk-indonesia-kekurangan-air-bersih> (Diakses: 12 Mei 2020)
- Ruhe, J. (2004) “Polymer brushes, polymer brushes on the way to tailor-made surfaces,” *Wiley-VCH Verlag GmbH & Co. KGaA*
- Sarsour, J., Stegmaier, T., dan Goetz, G. (2017) “3D Textile Structures for Harvesting Water from Fog: Overview and Perspectives,” *Textile Finishing: Recent Developments and Future Trends*. Scrivener Publishing LLC, hal. 325-343.
- Schunk, C., Trautwein, P., Hruschka, H., Frost, E., Dodson, L., Derhem, A., Bargach, J. dan Menzel, A. (2018). “Testing water yield, efficiency of different meshes and water quality with a novel fog collector for high wind speeds,” *Aerosol Air Quality Research*, 18, hal. 240-253.
- Sherazi, T.A. (2016) “Graft Polymerization. In: Drioli E., Giorno L,” *Encyclopedia of Membranes*. Springer, Berlin, Heidelberg. Tersedia pada: https://doi.org/10.1007/978-3-662-44324-8_274.

- Sjaifudin, A., T. dan Sitohang, K., H. (2015), "Rancang Bangun Prototip Mesin Plasma Tekstil Lucutan Korona pada Tekanan Atmosfir Skala Laboratorium," *Arena Tekstil* Vol. 30 (1), hal.25-36.
- Su, B., Guo, W. dan Jiang. L. (2014) "Learning from Nature: Binary Cooperative Complementary Nanomaterials," *Small Journal*, 11(9-10), hal. 1072-1096 Tersedia pada: www.small-journal.com
- Sun, X., DenHartog, E., Zhang, X. dan McCord., M, (2018)"Study of poly(N-isopropylacrylamide) grafted cotton fabrics initiated by atmospheric pressure plasma, *Applied Surface Science*, 453, hal.182–191.
- Teotia, A.K, H. Sami, A. dan Kumar, A. (2015) "Thermo-responsive polymers: structure and design of smart materials," *Switchable and Responsive Surfaces and Materials for Biomedical Applications*," Woodhead Publishing, hal. 3-43.
- Wang, X. dan McCord. (2007) "Grafting of Poly(N-Isopropylacrylamide) onto Nylon and Polystyrene Surfaces by Atmospheric Plasma Treatment Followed with Free Radical Graft Copolymerization," *Journal of Applied Polymer Science* 104 (6): 3614–21.
- Widodo, M. (2010) "Plasma surface modification of polyaramid fibers for protective clothing," *Disertation*, Faculty of Fiber and Polymer, North Carolina State University
- Yang, H., Zhu, H., Hendrix, M.M.R.M., Lousberg, N.J.H.G.M., With, G., Esteves, A.C.C. dan Xin, J., H. (2013) "Temperature-triggered collection and release of water from fogs by a sponge-like cotton fabric." *Advanced Materials*. 25. hal. 1150–1154.
- Yang, L., Fan, X., Zhang, J. dan Ju, J. (2020) "Preparation and Characterization of Thermoresponsive Poly(N-Isopropylacrylamide) for Cell Culture Applications," *Polymers*, 12, 389.
- Zoppe, J. O., Ataman, N. C., Mocny, .P, Wang, J., Moraes, J. dan Klok, H. A. (2017) "Surface-initiated controlled radical polymerization: state-of-the-art, opportunities, and challenges in surface and interface engineering with polymer brushes," *American Chemical Society*, 117(3), hal. 1105-1318.