

DAFTAR PUSTAKA

- Ajiya, D.A., Jikan, S.S., Talip, B.H.H.A., Badarulzaman, N.A., Derawi, D. and Yahaya, S., 2017. The influence of glycerol on mechanical, thermal and morphological properties of thermoplastic tapioca starch *film*. *Journal of Science and Technology*, 9(4).
- Amin, A.M.M., Saudid, S.M., Musa, M. and Hamid, K.H.K., 2017. The effect of glycerol content on mechanical properties, surface morphology and water absorption of thermoplastic *films* from *tacca leontopetaloides* starch. *Jurnal Teknologi*, 79(5-3).
- Ariska, R.E., 2015, October. Suyatno. 2015. Pengaruh konsentrasi karagenan terhadap sifat fisik dan mekanik edible *film* dari pati bonggol pisang dan karagenan dengan plasticizer gliserol. In *Prosiding. Seminar Nasional Kimia Jurusan Kimia FMIPA Universitas Negeri Surabaya*. Surabaya (pp. 3-4).
- Ban, W., Song, J., Argyropoulos, D.S. and Lucia, L.A., 2006. Improving the physical and chemical functionality of starch-derived *films* with biopolymers. *Journal of Applied Polymer Science*, 100(3), pp.2542-2548.
- Bian, L., Chen, L. and Gao, M., 2020. Stress distribution analysis and interface influence on fiber reinforced composites. *Mechanics of Materials*, 146, p.103400.
- Bénezet, J.C., Stanojlovic-Davidovic, A., Bergeret, A., Ferry, L. and Crespy, A., 2012. Mechanical and physical properties of expanded starch, reinforced by natural fibres. *Industrial Crops and Products*, 37(1), pp.435-440.
- Brooks, R.E. and Moore, S.B., 2000. Alkaline hydrogen peroxide bleaching of cellulose. *Cellulose*, 7(3), pp.263-286.
- Callister, W.D., 2000. *Fundamentals of materials science and engineering* (Vol. 471660817). London: Wiley.
- Carvalho, A.J., 2008. Starch: major sources, properties and applications as thermoplastic materials. *Monomers, polymers and composites from renewable resources*, pp.321-342.
- Chaitanya, S. and Singh, I., 2017. Processing of PLA/sisal fiber biocomposites using direct-and extrusion-injection molding. *Materials and Manufacturing Processes*, 32(5), pp.468-474.

Chang, Y.P., Abd Karim, A. and Seow, C.C., 2006. Interactive plasticizing–antiplasticizing effects of water and glycerol on the tensile properties of tapioca starch *films*. Food Hydrocolloids, 20(1), pp.1-8.

Detduangchan, N., Sridach, W. and Wittaya, T., 2014. Enhancement of the properties of biodegradable rice starch *films* by using chemical crosslinking agents. International Food Research Journal, 21(3).

EA, M.A.O.O.A. and Osibanjo, A.O., Biogradable Starch *Film* from Cassava, Corn, Potato and Yam.

Edhirej, A., Sapuan, S.M., Jawaidd, M. and Zahari, N.I., 2017. Cassava/sugar palm fiber reinforced cassava starch hybrid composites: Physical, thermal and structural properties. International journal of biological macromolecules, 101, pp.75-83.

Fahma, F., Sunarti, T.C., Indriyani, S.M. and Lisdayana, N., 2017. Thermoplastic cassava starch-PVA composite *films* with cellulose nanofibers from oil palm empty fruit bunches as reinforcement agent. International Journal of Polymer Science.

Farias, F.O., Jasko, A.C., Colman, T.A.D., Pinheiro, L.A., Schnitzler, E., Barana, A.C. and Demiate, I.M., 2014. Characterisation of Cassava bagasse and composites prepared by blending with low-density polyethylene. Brazilian Archives of Biology and Technology, 57(6), pp.821-830.

Forssell, P.M., Mikkilä, J.M., Moates, G.K. and Parker, R., 1997. Phase and glass transition behaviour of concentrated barley starch-glycerol-water mixtures, a model for thermoplastic starch. Carbohydrate Polymers, 34(4), pp.275-282.

Ioelovich, M., 2012. Study of cellulose interaction with concentrated solutions of sulfuric acid. International Scholarly Research Notices, 2012.

Jacob, M., Thomas, S. and Varughese, K.T., 2004. Mechanical properties of sisal/oil palm hybrid fiber reinforced natural rubber composites. Composites science and Technology, 64(7-8), pp.955-965.

Jayakumari, M., 2018. Assessment of Antimicrobial Activity of Developed Banana Fiber Fabric. International Journal of Research Volume 05 Issue 17.

Jayamani, E., Hamdan, S., Ezhumalai, P. and Bakri, M.K., 2016. Investigation on dielectric and sound absorption properties of banana fibers reinforced epoxy composites. Jurnal Teknologi, 78(6-10).

Jayaprabha, J.S., Brahmakumar, M. and Manilal, V.B., 2011. Banana pseudostem characterization and its fiber property evaluation on physical and bioextraction. *Journal of Natural Fibers*, 8(3), pp.149-160.

Kalita, H., Hazarika, A., Kandimalla, R., Kalita, S. and Devi, R., 2018. Development of banana (*Musa balbisiana*) pseudo stem fiber as a surgical bio-tool to avert post-operative wound infections. *RSC advances*, 8(64), pp.36791-36801.

Kampeerappun, P., Aht-ong, D., Pentrakoon, D. and Srikulkit, K., 2007. Preparation of cassava starch/montmorillonite composite *film*. *Carbohydrate Polymers*, 67(2), pp.155-163.

Kumar, P.R., Srivastava, S., Singh, K.K., Mathad, C. and Thin, P.S., 2014. Study of Antioxidant and Antimicrobial Properties, Phytochemical screening and analysis of Sap Extracted from Banana (*Musa acuminata*) batang semu. *International Journal of Advanced Biotechnology and Research*, 5(4), pp.649-658.

Khan, M.D., Rahman, M., Ahmed, M., Shuvo, K., Ahmed, R., 2020. Optimization of Residual Shrinkage Control of 100% Cotton Woven Fabric Through Sanforization. *Journal Of Textile Science & Fashion Technology*.

Laurie, C.D., Chung, K.K., Saffle, J.R., Renz, E.M., Cancio, L.C. and Prevention of Combat-Related Infections Guidelines Panel, 2011. Prevention of infections associated with combat-related burn injuries. *Journal of Trauma and Acute Care Surgery*, 71(2), pp.S282-S289.

Liu, H., Xie, F., Yu, L., Chen, L. and Li, L., 2009. Thermal processing of starch-based polymers. *Progress in polymer science*, 34(12), pp.1348-1368.

Ma, X., Yu, J. and Kennedy, J.F. 2005. Studies on the properties of natural fibers-reinforced thermoplastic starch composites. *Carbohydrate Polymers*. 62, 19-24.

Martin, O. and Avérous, L., 2001. Poly (lactic acid): plasticization and properties of biodegradable multiphase systems. *Polymer*, 42(14), pp.6209-6219.

Munder, F., Füll, C. and Hempel, H., 2005. Processing of bast fiber plants for industrial application. In *Natural fibers, biopolymers, and biocomposites* (pp. 129-161). CRC Press.

- Mehta, N.M. and Parsania, P.H., 2006. Fabrication and evaluation of some mechanical and electrical properties of jute-biomass based hybrid composites. *Journal of Applied Polymer Science*, 100(3), pp.1754-1758.
- Melo, C.D., Garcia, P.S., Grossmann, M.V.E., Yamashita, F., Dall'Antônia, L.H. and Mali, S., 2011. Properties of extruded xanthan-starch-clay nanocomposite *films*. *Brazilian Archives of Biology and Technology*, 54(6), pp.1223-1333.
- Musita, N., 2018. Kajian sifat fisikokimia tepung onggok industri besar dan industri kecil. *Majalah TEGI*, 10(1).
- Mohanty, A.K., Misra, M. and Drzal, L.T., 2002. Sustainable bio-composites from renewable resources: opportunities and challenges in the green materials world. *Journal of Polymers and the Environment*, 10(1), pp.19-26.
- Mohanty, A.K., Tummala, P., Liu, W., Misra, M., Mulukutla, P.V. and Drzal, L.T., 2005. Injection molded biocomposites from soy protein based bioplastic and short industrial hemp fiber. *Journal of Polymers and the Environment*, 13(3), pp.279-285.
- Nurnasari, E. and Nurindah, N., 2018. Karakteristik Kimia Serat Buah, Serat Batang, dan Serat Daun, Vol. 9(2), DOI: 10.21082.
- Pandey, A., Soccol, C.R., Nigam, P., Soccol, V.T., Vandenberghe, L.P. and Mohan, R., 2000. Biotechnological potential of agro-industrial residues. II: Cassava bagasse. *Bioresource technology*, 74(1), pp.81-87.
- Pilla, S., 2011. Engineering applications of bioplastics and biocomposites—An overview. *Handbook of bioplastics and biocomposites engineering applications*, pp.1-15.
- Pejic, B.M., Kostic, M.M., Skundric, P.D. and Praskalo, J.Z., 2008. The effects of hemicelluloses and lignin removal on water uptake behavior of hemp fibers. *Bioresource technology*, 99(15), pp.7152-7159.
- Peressini, D., Bravin, B., Lapasin, R., Rizzotti, C. and Sensidoni, A., 2003. Starch–methylcellulose based edible *films*: rheological properties of *film*-forming dispersions. *Journal of Food Engineering*, 59(1), pp.25-32.
- Pulungan, M.H., Hidayat, N., Wafa, A. and Wardina, K., 2018, October. Pendayagunaan Pati Singkong dan Tepung Kulit Singkong sebagai Bahan

Pembuatan Plastik Biodegradable (Kajian Rasio Pati Singkong dan Tepung Kulit Singkong). In Prosiding Seminar Nasional Kulit, Karet dan Plastik (Vol. 7, No. 1).

Prachayawarakorn, J., Sangnitdej, P. and Boonpasith, P., 2010. Properties of thermoplastic rice starch composites reinforced by cotton fiber or low-density polyethylene. *Carbohydrate Polymers*, 81(2), pp.425-433.

Prachayawarakorn, J., Chaiwatyothin, S., Mueangta, S. and Hanchana, A., 2013. Effect of jute and kapok fibers on properties of thermoplastic cassava starch composites. *Materials & Design*, 47, pp.309-315.

Prachayawarakorn, J. and Pomdage, W., 2014. Effect of carrageenan on properties of biodegradable thermoplastic cassava starch/low-density polyethylene composites reinforced by cotton fibers. *Materials & Design*, 61, pp.264-269.

Raabe, Joabel, Alessandra de Souza Fonseca, Lina Bufalino, Caue Ribeiro, Maria Alice Martins, José Manoel Marconcini, Lourival M. Mendes, and Gustavo Henrique Denzin Tonoli. "Biocomposite of cassava starch reinforced with cellulose pulp fibers modified with deposition of silica (SiO₂) nanoparticles." *Journal of Nanomaterials* 2015 (2015).

Subagio, A., 2019. Biocomposite characterization of bagasse starch derived from cassava reinforced by acetylated bamboo cellulose and plasticized by epoxidized waste cooking oil. *Rasayan journal of chemistry*, 12(3), pp.1470-1477.

Subagyo, A., 2012. Degumming agave cantala fiber using microbial (green degumming) and economic review. In 88th Textile Institute World Conference. Malaysia (p. 733).

Subagyo, A. and Chafidz, A., 2018. Banana pseudo-stem fiber: Preparation, characteristics, and applications. *Banana nutrition-function and processing kinetics*, pp.1-19.

Suryanto, H., 2016. Review Serat Alam: Komposisi, Struktur, dan Sifat Mekanis. *ResearchGate*, (October), pp.1-14.

Shakeri, A. and Ghasemian, A., 2010. Water absorption and thickness swelling behavior of polypropylene reinforced with hybrid recycled newspaper and glass fiber. *Applied composite materials*, 17(2), pp.183-193.

Tamaki, Y., Konishi, T. and Tako, M., 2011. Gelation and retrogradation mechanism of wheat amylose. *Materials*, 4(10), pp.1763-1775.

Teixeira, E.D.M., Curvelo, A.A., Corrêa, A.C., Marconcini, J.M., Glenn, G.M. and Mattoso, L.H., 2012. Properties of thermoplastic starch from Cassava bagasse and cassava starch and their blends with poly (lactic acid). *Industrial Crops and Products*, 37(1), pp.61-68.

Travalini, A.P., Lamsal, B., Magalhães, W.L.E. and Demiate, I.M., 2019. Cassava starch *films* reinforced with lignocellulose nanofibers from Cassava bagasse. *International journal of biological macromolecules*, 139, pp.1151-1161.

Wang, K., Wambugu, P.W., Zhang, B., Wu, A.C., Henry, R.J. and Gilbert, R.G., 2015. The biosynthesis, structure and gelatinization properties of starches from wild and cultivated African rice species (*Oryza barthii* and *Oryza glaberrima*). *Carbohydrate Polymers*, 129, pp.92-100.

Wattanakornsiri, A. and Tongnunui, S., 2014. Sustainable green composites of thermoplastic starch and cellulose fibers. *Songklanakarin Journal of Science & Technology*, 36(2).

Weerapoprasit, C. and Prachayawarakorn, J., 2016. Properties of biodegradable thermoplastic cassava starch/sodium alginate composites prepared from injection molding. *Polymer Composites*, 37(12), pp.3365-3372.

Zainuddin, S.Y.Z., Ahmad, I. and Kargarzadeh, H., 2013. Cassava starch biocomposites reinforced with cellulose nanocrystals from kenaf fibers. *Composite Interfaces*, 20(3), pp.189-199.