

DAFTAR PUSTAKA

- Ahmad, N. Production of rhamnolipid surfactant and its application in bioscouring of cotton fabric. *Carbohydr. Res.* **2014**, 391, 97–105.
- Akter, N., Khan, R. A., Tuhin, M. O., Haque, M. E., Nurnabi, M., Parvin, F., & Islam, R. (2014). Thermomechanical, barrier, and morphological properties of Chitosan-reinforced starch-based biodegradable composite films. *Journal of Thermoplastic Composite Materials*, 27(7), 933–948. <https://doi.org/10.1177/0892705712461512>
- Alvey, F. B. (1969), Selectivity of the epoxide phenol reaction. *J. Appl. Polym. Sci.* 1473–1486. doi: 10.1002/app.1969.070130710.
- Anis, Pervin and Huseyin Aksel Eren. “Examining the Effectiveness and the Environmental Impact of Rinsing in Reactive Dyeing.” *AATCC Review*. June 2001, p24
- Waring, D. R., Hallas, G., & Gregory, P. (2013). *The Chemistry and Application of Dyes Plenum Press • New York and London 2 Classification of Dyes by Chemical Structure*. 17–47.
- Bradbury, Mike, dkk. “Smart Rinsing: A Step Change in Reactive Dye Application Technology.” *Journal of the Society of Dyers and Colourists*. 116. (2000): 144-147.
- Broadbent, A. D. (2001). *Basic Principles of*. Canada: 71Buku Pedoman Tugas Akhir (2018), Politeknik STTT Bandung.
- Burkinshaw, S., Lei, X., and Lewis, D., *Journal of the Society of Dyers and Colourists*, Vol. 105, 1989, p391.
- Cai, Y., M. T. Pailthorpe, and S. K. David. "A new method for improving the dyeability of cotton with reactive dyes." *Textile research journal* 69, no. 6 (1999): 440-446.
- Cannon, Kristin M. and Peter J. Hauser. “Color Assessment of Cationized Cotton Dyed with Fiber Reactive Dyes.” *AATCC Review*. May 2003.
- Chavan, R. B. "Environment-friendly dyeing processes for cotton." *INDIAN JOURNAL OF FIBRE & TEXTILE RESEARCH* 26, no. 1-2 (2001): 93-100.
- Cica Kasipah, E. N. (2015). PENINGKATAN KEMAMPUAN PENCELUPAN KAIN KAPAS TERHADAP ZAT WARNA REAKTIF MELALUI PROSES KATIONISASI. 55-56.
- Copyright. (2016, Mei 16). Retrieved from Word Dye Variety: [http://www.worlddyevariety.com/reactive-dyes/reactive-blue-19 & 171.html](http://www.worlddyevariety.com/reactive-dyes/reactive-blue-19&171.html).

- Djufri, Rasyid dkk (1976), *Teknologi Pengelantangan, Pencelupan dan Pencapan*, Institut Teknologi Tekstil, Bandung.
- Draper, Sara L., dkk. "Characterization of the Dyeing Behavior of Cationized Cotton with Direct Dyes." AATCC Review. October 2002.
- European Union Risk Assessment Report, (3-CHLORO-2 HYDROXYPROPYL)TRIMETHYLAMMONIUMCHLORIDE*. 2008 US Patent # 1,502,379. July 22, 1924.
- Farrell, M. J. (2012). Sustainable cotton dyeing. North Carolina State University at Raleigh.
- Gillingham, Estelle L., David M. Lewis, and Kawee Srikulkit. "Co-application of hydroxyalkyl dyes and polyphosphonic acids to cotton to achieve dye—fibre covalent bonding." *Coloration technology* 117, no. 6 (2001): 318-322.
- Hashem, M., P. Hauser, and B. Smith. "Wrinkle recovery for cellulosic fabric by means of ionic crosslinking." *Textile Research Journal* 73, no. 9 (2003): 762-766.
- Hashem, M. M. (2006), Development of a one-stage process for pretreatment and cationisation of cotton fabric. *Coloration Technology*, 122: 135–144. doi: 10.1111/j.1478-4408.2006.00022.
- Hauser, P. J. and Tabba, A. H. (2001), Improving the environmental and economic aspects of cotton dyeing using a cationised cotton. *Coloration Technology*, 117: 282– 288. doi: 10.1111/j.1478-4408.2001.tb00076.
- Hauser, Peter J. and Adham H. Tabba. "Dyeing Cationized Cotton with Fiber Reactive Dyes: Effect of Reactive Chemistries." AATCC Review. May 2002.
- Hauser, Peter J. and Mehmet Kanik. "Printing of Cationized Cotton with Acid Dyes." AATCC Review. March 2003.
- J. C. (2020). Cationization of cotton fiber: an integrated view of cationic agents, processes variables, properties, markets and future prosect. *review paper*, 14.
- Kandasaamy, M. R. (2005). Effect of cationization of cotton on it's dyeability. *Journal of Fibre & Textile Research Vol. 30, September 2005, pp.315-323, 315-323., 321.*
- Karyana, D., (1998). Struktur Zat Warna Reaktif dan Daya Celupnya. STTT Bandung.
- Kanik, Mehmet and Peter J. Hauser. "Printing of Cationized Cotton with Reactive Dyes." *Coloration Technology*. 118. (2002): 300-306.

- Kanik, Mehmet, and Peter J. Hauser. "Ink-jet printing of cationised cotton using reactive inks." *Coloration technology* 119, no. 4 (2003): 230-234.
- Kanik, Mehmet, and Peter J. Hauser. "Printing cationized cotton with direct dyes." *Textile research journal* 74, no. 1 (2004): 43-50.
- Khatri, Z., Arain, R. A., Jatoi, A. W., Mayakrishnan, G., Wei, K., & Kim, I. S. (2013). Dyeing and characterization of cellulose nanofibers to improve color yields by dual padding method. *Cellulose*, 20(3), 1469–1476. <https://doi.org/10.1007/s10570-013-9893-7>
- Kuittinen, M. M. (2008). *EU RISK ASSESSMENT -(3-CHLORO-2-HYDROXYPROPYL)TRIMETHYLAMMONIUM CHLORIDE*. FINLAND: 2008.
- KUSUMANINGSIH, T., MASYKUR, A., & SUPRIYANTO, R. (2006). The adsorption of Remazol Yellow FG in the textile wastes by cogon grass (*Imperata cylindrica* (L.) Raeush). *Biofarmasi Journal of Natural Product Biochemistry*, 4(1), 27–33. <https://doi.org/10.13057/biofar/f040106>
- Lewin, Menachem, and M. Eli Pearce. *Handbook of Fiber Chemistry*. Second. New York: Marcel Dekker Inc., 1998.
- Lewis, David M., dkk. "Covalent Fixation of Reactive Dyes on Cotton under Neutral Conditions." *AATCC Review*. January 2008, p35.
- McKelvey, John B., Beverly G. Webre, and Elias Klein. "Reaction of epoxides with cotton cellulose in the presence of sodium hydroxide." *Textile Research Journal* 29, no. 11 (1959): 918-925.
- Mohanty, A. M. (2005). *"Natural Fibers, Biopolymers And Biocomposite: An intrduction"*. by CRC Press .
- Morris, K. F., Lewis, D. M. and Broadbent, P. J. (2008), Design and application of a multifunctional reactive dye capable of high fixation efficiency on cellulose. *Coloration Technology*, 124: 186–194. doi: 10.1111/j.1478-4408.2008.00140. Schlack, P., US Patent 2,131,120, 1938
- Needles, Howard L. *Textile Fibers, Dyes, Finishes and Processes*. Park Ridge, New Jersey: Noyes Publications, 1986.
- Philips, Duncan. "Environmentally friendly, productive and reliable: priorities for cotton dyes and dyeing processes." *Journal of the Society of Dyers and Colourists* 112, no. 7-8 (1996): 183-186.
- Preston, Clifford. *The Dyeing of Cellulosic Fibers*. Bradford, West Yorkshire: Dyers' Company Publication Trust, 1986.

- Raleigh, N. C. (2014). *Exhaust Cationization of Cotton*. Copyright 2014 by Mohsin Madad, 33.
- Rana, M.; Chen, J.-T.; Yang, S.; Ma, P.-C. Biomimetic superoleophobicity of cotton fabrics for efficient oil-water separation. *Adv. Mater. Interfaces* **2016**, 3, 1600128.
- Raza, Z.A.; Rehman, A.; Hussain, M.T.; Masood, R.; Ul Haq, A.; Saddique, M.T.; Javid, A.; Ahmad, N. Production of rhamnolipid surfactant and its application in bioscouring of cotton fabric. *Carbohydr. Res.* **2014**, 391, 97–105.
- Ramamoorthy, S. K., Skrifvars, M., & Persson, A. (2015). A review of natural fibers used in biocomposites: Plant, animal and regenerated cellulose fibers. *Polymer Reviews*, 55(1), 107–162.
- Rowland, S. P., Nelson, M. L., Welch, C. M., & Hebert, J. J. (1976). *Cotton fibre morphology and textile performance properties*. 194–214.
- Rupin, Michel. “Dyeing with Direct and Fiber Reactive Dyes.” *Textile Chemist and Colorist*. 8. (1976): p139.
- SNI ISO 105-C06-2010, Cara Uji Tahan Luntur Warna Terhadap Pencucian Rumah Tangga dan Komersil, Badan Standarisasi Nasional (BSN).
- SNI ISO 105-X12-2012, Cara Uji Tahan Luntur Warna Terhadap Gosokan, Badan Standarisasi Nasional (BSN).
- SNI ISO 105-A02-2010, Cara Uji Tahan Luntur Warna Skala abu-abu untuk penilaian perubahan warna, Badan Standarisasi Nasional (BSN).
- SNI ISO 105-A03-2010, Cara Uji Tahan Luntur Warna : Skala abu-abu untuk penilaian penodaan, Badan Standarisasi Nasional (BSN).
- Soeprijono, d. (1974). *Serat-serat Tekstil, ITT*. Bandung: halaman 46.