

DAFTAR PUSTAKA

- Abimanyu, Faridz, Memoria Rosi dan Abrar. (2021). *Fabrikasi Elektroda Karbon Aktif Superkapasitor Dengan Menggunakan Metode Hotpress*. e-Proceeding of Engineering : Vol.8, No.5 Oktober 2021 Page 5685.
- Al-Hazeem, N. Z. (2018). *Nanofibers and Electrospinning Method*. Intech Open.
- Ar, Vega Rahmawati, Posman Manurung, Junaidi dan Pulung Karo-Karo. (2021). *Pengaruh Variasi Polivinilpirolidon (PVP) Terhadap Pembentukan Serat NanoTitanium Dioksida (TiO₂) Menggunakan Metode Electrospinning*. Journal of Energy, Material, and Instrumentation Technology, Vol. 2 No. 1, 2021.
- Atkins, P.W. (1994) *Physical Chemistry. 5th Edition*. Oxford University Press. Oxford, 922-926.
- Basri, Irma Yulia dan Dedy Irfan (2018). *Komponen Elektronika*. Padang : Sukabina Press. ISBN : 978-602-6277-88-6
- Bhatt, Pooja (2017). *Carbon Fibres: Production, Properties and Potential Use* (Thesis). Archived from the original on 2021-04-30. Retrieved 2021-07-25.
- Chaudhary, Anisha; Gupta, Vinay; Teotia, Satish; Nimanpure, Subhash; Rajak, Dipen K. (2021-01-01), "Electromagnetic Shielding Capabilities of Metal Matrix Composites", in Brabazon, Dermot (ed.), *Encyclopedia of Materials: Composites*, Oxford: Elsevier, pp. 428–441, ISBN 978-0-12-819731-8, retrieved 2022-02-14
- Chronakis, I. S. (2005). *Novel Nanocomposites and Nanoceramics Based on Polymer Nanofibers Using Electrospinning Process-A Review*. Journal of Materials Processing Technology, 167(2-3), 283–293.
- Du, Jian; Chen, Xin-liang; Liu, Cai-chi; Ni, Jian; Hou, Guo-fu; Zhao, Ying; Zhang, Xiao-Dan (2013). *Highly Transparent and Conductive Indium Tin Oxide Thin Films For Solar Cells Grown by Reactive Thermal Evaporation at Low Temperature*. Applied Physics A. 117 (2): 815–822. Bibcode:2014ApPhA.tmp..229D. doi:10.1007/s00339-014-8436-x. S2CID95720073.
- Fahra, Indah. F., dan Nita. K., (2012) . *Pembuatan Membran Komposit Kitosan-PVA dan Pemanfaatannya pada Pemisahan Limbah Pewarna Rhodamin-B*. Universitas Negeri Surabaya Fesenden.
- Fatkah, Muflikh Mubarak dan Valentinus Galih Vidia Putra. (2020). *Rancang Bangun Alat Pembuatan Nanofiber Metode Electrospinning*. Jurnal Teknik: Universitas Muhammadiyah Tangerang, Vol. 9, No. 1, Januari-Juni, Tahun 2020: hlm.36-45.
- Fujishima, A., Xintong Zhang., dan Donald A. (2008). *TiO₂ Photocatalysis and Related Surface Phenomena*. Surface Science Reports, 63: 515-582.
- Gika, Kita, M. Shikida, Y. Suzuki, Y. Tsuji dan K. Sato. (2010). *Large-Sized Fabric Tactile Sensors For Detecting Contacted Objects*. Volume 5, Issue 6, December 2010, p.389-392.

- Halliday, D. (1988). Fisika, Edisi Ketiga. Jakarta: Erlangga.
- Hurst, A. Glenn, Malika Bella, dan Christoph G. Salzman. (2015). *The Rheological Properties of Poly (vinyl alcohol) Gels from Rotational Viscometry*. American Chemical Society and Division of Chemical Education, Inc. J. Chem. Educ. 2015, 92, 5, 940–945
- Jayasekaran, Harding I., Bwouter I., Cristie G., Lonergan, G.T. (2004). Polymer. Test., 23. 17-27.
- Lu, Jie, Quangtrung Nguyen, Jiqing Zhou dan Zheng-Hua Ping (2003). *Polyvinyl Alcohol/Polyvinyl Pyrrolidone Interpenetrating Polymer Network: Synthesis and Pervaporation Properties*. Journal of Applied Polymer Science. Vol.89, 2808-2814
- J. Gamby, P. L. Taberna, P. Simon, J. F. Fauvarque, and M. Chesneau, “Studies and characterisations of various activated carbons used for carbon/carbon supercapacitors,” Journal of Power Sources, vol. 101, no. 1, pp. 109–116, 2001.
- Jin, Xiaotong, Kangkang Yuan, Chonghe Xu, Xinqiang Wang, Luyi Zhu, Guanghui Zhang, dan Dong Xu. (2018) *Water Steam Modified Crystallization and Microstructure of Mesoporous TiO₂ Nanofibers*. Ceramics International 44:2158-2164.
- Karkare, M.M. (2014). *Estimation of Band Gap and Particle Size of TiO₂ Nanoparticle Synthesized Using Sol Gel Technique*. ICACACT 2014
- Khalaf MM, Abdallah NY, Abd El-Lateef HM. (2018). *Fine-template Synthetic Process of Mesoporous TiO₂ Using Ionic/Nonionic Surfactants as Potential Remediation of Pb(II) from Contaminated Soil*. International Journal of Environmental Science and Technology 16:1933-1944
- Khulbe, K.C., dan T. Matsuura. (2019). “Art to Use Electrospun Nanofibers/Nanofiber Based Membrane In Waste Water Treatment, Chiral Separation and Desalination.” Journal of Membrane Science and Research. Vol. 5 (2): pp 100-125. <https://doi.org/10.22079/JMSR.2018.87918.1197>.
- Kongsong, P., Sikong, L., Niyomwas, S. dan Rachpech, V. (2014). *Photocatalytic Antibacterial Performance of Glass Fibers Thin Film Coated with N-Doped SnO₂/TiO₂*. The Scientific World Journal. 1-9.
- Krisnandika, V. E. (2017). *Produksi Nanofiber dan Aplikasinya dalam Pengolahan Air*. Institut Teknologi Bandung.
- Liao, Y., C.H. Loh, M. Tian, R. Wang, dan A.G. Fane. (2018). “Progress in Electrospun Polymeric Nanofibrous Membranes for Water Treatment: Fabrication, Modification and Applications.” Progress in Polymer Science. Vol. 77: pp 69-94. <https://doi.org/10.1016/j.progpolymsci.2017.10.003>.
- M.Diantoro, T.Istirohah, A.Fuad, dan I.Ristanti. (2018). *Dielectric Properties and Bioactivity of PVA/PEG/TiO₂ Fibers for Capacitive Based Body Sensor*. International Conference on Mathematics and Natural Sciences (IConMNS2017). IOP Conf. Series: Journal of Physics: Conf. Series 1040 (2018) 012045 doi :10.1088/1742-6596/1040/1/012045.

- Marno, Eri Widiyanto, Jojo Sumarjo dan Aa Santosa. (2018). *Perancangan dan Pengembangan Sistem Electrospinning Sebagai Teknologi Dalam Pembuatan Nanofiber*. Jurnal Inovasi Vokasional dan Teknologi. Vol.18 No.2,2018 ISSN: 1411-3411(p)ISSN: 2549-9815(e).
- M.Ishaq. (2003). *Listrik Dinamik 2 : Kapasitor dan Rangkaian RC*. HAND OUT FISIKA DASAR 2/LISTRIK-MAGNET/ ELEKTRODINAMIK 2/kKAPASITOR.
- Nakane, K. dan Ogata, N. (2010). *Photocatalyst Nanofibers Obtained by Calcination of Organic-Inorganic Hybrids*. [online], www.intechopen.com.
- Negulescu, I. (2004). *Maleated Wood-Fiber/High-Density Polyethylene Composites: Coupling Mechanisms and Interfacial Characterization*. USA: Department of Chemistry, Louisiana State University.
- Nieman. (1998). *Principle Of Instrumental Analysis*. Skoog, Holler.
- Nugroho, A. S., Faridah dan K. Suryopratomo. (2013). "Rancang Bangun Sensor Pengukur Level Interface Air dan Minyak Pada Mini Plant Separator." Jurnal Tenofisika, ISSN 2089-7154. 2 (2): 42-54.
- Nuwaiir. (2009). *Kajian Impedansi dan Kapasitansi Listrik Pada Membran Telur Ayam Ras*. Skripsi. Bogor: Institut Pertanian Bogor.
- P. Howard. (2009). *Modeling With Probability*. Fall 2009.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. dan Vyvyan, J.R. (2009). *Introduction to Spectroscopy*. Fourth Edition, Brooks/Cole Cengage Learning, USA.
- Puers R. (1993). *Capacitive Sensors: When and How to Use Them*. Sensor Act A-Phys 1993; 37-38:93-105.
- Putra, AdiAngga (2014). *Mengenal Sekilas Mikrokontroler Arduin*. Retried April 3, 2017, from Robotid id: <http://www.robotic-id.org/2014/11/mengenal-sekilas-mikrokontroler-arduino.html>
- Putra, Z. S., M. Rivai dan Suwito. (2013). "Sistem Sensor Kualitas Minyak Berdasarkan Pada Pengukuran Kapasitansi dan Panjang Berkas Pembiasan Cahaya." Jurnal Teknik Pomits, ISSN: 2337-3539. 2 (1): B-67-B-72.
- R. Vijayalaksmi dan V. R. Dran (2012). "Synthesis and Characterization of Nano-TiO₂ via Different Methods." Archive of Applied Science Research, Vol. 4, No. 2, pp. 1183-1190.
- S. Kesthappan. (2012). *Polypropylene/Metal Oxide Nano Composite: Fiber Spining and Evaluation*". Thesis, Chapter 5: Synthesis, Characterization and Antibacterial Properties of Titanium Dioxide Nanopartikel, Cochin University of Science and Technology, India May 2012.
- Saehana, S., Iskandar, F., Abdullah, M., others, (2013). *Optimization of Electrospinning Parameter by Employing Genetic Algorithm in order to Produce Desired Nanofiber Diameter*. World Acad. Sci. Eng. Technol. Int.J. Chem. Mol. Nucl. Mater. Metall. Eng. 7, 86-91.

- Sari, Y., Nasir, M., Risdian, C., dan Syukri. (2014). *Sintesis dan Karakterisasi Nanofiber Komposit Zn-PVDF Kopolimer*. JKTl vol.16, 49-52.
- Saxena, S. K. (2004). Polyvinyl Alcohol (PVA): *Chemical and Technical Assessment*(CTA). JECFA (61).
- Semat, Henry dan Robert Kartz. (1958). "*Physics, Chapter 25: Capacitance and Dielectrics*". Robert Katz Publications 157.
- Septiani, U., Gustina, M., dan Safni. (2015). *Pembuatan dan Karakterisasi Katalis TiO₂/Karbon Aktif dengan Metode Solid state*. J.Ris.Kim. 9 (1), 34 – 38.
- Shehap, A.M. dan Akil D.S. (2016). *Structural and Optical Properties of TiO₂ Nanoparticles/PVA for Different Composites Thin Films*. Int. J. Nanoelectronics and Materials 9 (2016) 17-36.
- Shi, X., Zhou, W., Ma, D., Ma, Q., Bridges, D., Ma, Y., dan Hu, A. (2015). *Electrospinning of Nanofibers and Their Applications for Energy Devices*. *Journal of Nanomaterials*.
- Shirazi, M.M.A., S. Bazgir, dan F. Meshkani. (2020). "Electrospun Nanofibrous Membranes for Water Treatment." In *Advances in Membrane Technologies*. Vol. 57 (3): pp 467—504. <https://doi.org/10.5772/intechopen.87948>.
- Subbiah, T., Bhat, G., Tock, R., Parameswaran, S., dan Ramkumar, S. (2004). *Electrospinning of Nanofibers*. *Journal of Applied Science*, Vol 96, 558.
- Takamatsu, S, T.Yamashita, T.Imai. (2013) *Fabric Touch Sensors Using Projected Self-Capacitive Touch Technique, Sensors and Materials*. Vol. 25, No. 9 (2013) 627–634 MYU Tokyo.
- Tang dan Alavi S, (2011). *Recent Advances in Strach, Polyvinyl Alcohol Based Polymer Blends, Nanocomposites And Their Biodegradability, Carbohydrate Polymers*, 7-10.
- Tipler, P. (1991). *Fisika Untuk Sains dan Teknik*. Edisi Ketiga Jilid 2. Jakarta:Erlangga.
- Wahyudi, I. (2009). *Sistem Pengukuran Permittivitas Fluida Berbasis Mikrokontroler AT89S51*. Skripsi. Malang: Universitas Islam Negeri Malang.
- Wahyudi, T., dan Sugiyana, D. (2011). *Pembuatan Serat Nano Menggunakan Metode Electrospinning*. *Arena Tekstil Volume 26 No.1*, 30.
- Waresindo, W. X. (2019). *Nanofiber, Nanopartikel dan Film Tipis*. Bandung: Bandung Institute of Technology.
- Wijayono, Andrian. (2020). *Sensor Kapasitif Tekstil Dengan Lapisan Tinta Karbon Konduktif Menggunakan Metode Pencapan Untuk Aplikasi Tekstil Cerdas*. Tesis Program Studi Magister Terapan Rekayasa Tekstil dan Apparel. Bandung : Politeknik STTT Bandung.
- WH Hayt. (2001). "*Rangkaian Listrik Jilid 1*," Jakarta: Erlangga.

Yuniar, Rizka Ayu (2019). *Sintesis Carbon-MnO₂ Nanofiber Dengan Metode Electrospinning Polivinil Alcohol (PVA)*. Tesis-TK185401 Program Magister Bidang Keahlian Teknologi Proses Jurusan Teknik Kimia Fakultas Teknologi Industri Institut Teknologi Sepuluh November Surabaya.

Z. S. Iro, C. Subramani dan S. Dash, “A Brief Review on Electrode Materials for Supercapacitor,” *Int. J. Electrochem. Sci.*, vol. 11, p. 7, 2016

Zuk, S., Pietrikova, A. dan Vehec, I. (2018) ‘Capacitive touch sensor’, *Microelectronics International*, 35(3), pp. 153–157. Available at: <https://doi.org/10.1108/MI-12-2017-0071>.

(<https://en.xfnano.com/product/pros157.aspx>)

(<https://www.tokopedia.com/urbantechlife>)

(<https://shopee.co.id/product/129877181/5496057968?smmt=0.47311593-1658216558.3>)

(<https://www.tokopedia.com/charismakucom/charisma-bahan-kain-tc-kain-tc-warna-untuk-pakaian-tetoron-cotton-broken-white?extParam=ivf%3Dfalse&src=topads>)

<https://calmetind.wordpress.com/2020/04/13/pengukuran-viskositas/>

