

DAFTAR PUSTAKA

- Ariyanti, M. dan Asbur, Y. (2018) "Tanaman Tarum (*Indigofera tinctoria* Linn.) Sebagai Penghasil Zat Warna," *Jurnal Hutan Pulau-Pulau Kecil*, 2(1), hal. 109–122. Tersedia pada: <https://doi.org/10.30598/jhppk.2018.2.1.109>.
- Arta, T.K. *et al.* (2019) "Pewarnaan Batik Menggunakan Bubuk Pewarna Alam *Indigofera tinctoria* dan *Strobilanthes cusia*," *Dinamika Kerajinan dan Batik: Majalah Ilmiah*, 36(2), hal. 163–172. Tersedia pada: <https://doi.org/10.22322/dkb.V36i1.4149>.
- Basuki, Suyitno dan Kristiawan, B. (2018) "Absorbance and electrochemical properties of natural indigo dye," *AIP Conference Proceedings*, 1931(February), hal. 1–6. Tersedia pada: <https://doi.org/10.1063/1.5024126>.
- Biswas, P. dan Wu, C. (2012) "Nanoparticles and the Environment Nanoparticles and the Environment," 2247(2005). Tersedia pada: <https://doi.org/10.1080/10473289.2005.10464656>.
- Blackburn, R.S., Bechtold, T. dan John, P. (2009) "The development of indigo reduction methods and pre-reduced indigo products," *Coloration Technology*, 125(4), hal. 193–207. Tersedia pada: <https://doi.org/10.1111/j.1478-4408.2009.00197.x>.
- Blus, K. dan Bemska, J. (2010) "Effect of nonionic surfactants on the dyeing process of cellulose fibres with C.I. reactive blue 217," *Autex Research Journal*, 10(3), hal. 64–68.
- Cabrera-Trujillo, M.A. *et al.* (2018) "Stability of low-fat oil in water emulsions obtained by ultra turrax, rotor-stator and ultrasound homogenization methods," *International Journal of Gastronomy and Food Science*, 13(June), hal. 58–64. Tersedia pada: <https://doi.org/10.1016/j.ijgfs.2018.06.002>.
- Chanhee, J. *et al.* (2019) "Monitoring of the Indigo Reduction Process by Fluorescence Technology," *한국생물공학회 학술대회*, hal. 243.
- Chou, D.K. *et al.* (2005) "Effects of Tween 20® and Tween 80® on the stability of Albutropin during agitation," *Journal of Pharmaceutical Sciences*, 94(6), hal. 1368–1381. Tersedia pada: <https://doi.org/10.1002/jps.20365>.
- Ding, W.K. dan Shah, N.P. (2009) "Effect of homogenization techniques on reducing the size of microcapsules and the survival of probiotic bacteria therein," *Journal of food science*, 74(6), hal. M231–M236.
- Dongol, M. *et al.* (2012) "Optical properties of nano 5, 10, 15, 20-tetraphenyl-21H, 23H-prophyrin nickel (II) thin films," *Current Applied Physics*, 12(4), hal. 1178–1184.
- Eastoe, J. dan Dalton, J.S. (2000) "Dynamic surface tension and adsorption

mechanisms of surfactants at the air-water interface,” *Advances in Colloid and Interface Science*, 85(2), hal. 103–144. Tersedia pada: [https://doi.org/10.1016/S0001-8686\(99\)00017-2](https://doi.org/10.1016/S0001-8686(99)00017-2).

Galbis, J.A. *et al.* (2016) “Synthetic Polymers from Sugar-Based Monomers,” *Chemical Reviews*, 116(3), hal. 1600–1636. Tersedia pada: <https://doi.org/10.1021/acs.chemrev.5b00242>.

Garcia-Macias, P. dan John, P. (2004) “Formation of natural indigo derived from woad (*Isatis tinctoria* L.) in relation to product purity,” *Journal of Agricultural and Food Chemistry*, 52(26), hal. 7891–7896. Tersedia pada: <https://doi.org/10.1021/jf0486803>.

Gilbert, K.G. dan Cooke, D.T. (2001) “Dyes from plants: Past usage, present understanding and potential,” *Plant Growth Regulation*, 34(1), hal. 57–69. Tersedia pada: <https://doi.org/10.1023/A:1013374618870>.

Halliday, H.L. (2005) “History of surfactant from 1980,” *Biology of the Neonate*, 87(4), hal. 317–322. Tersedia pada: <https://doi.org/10.1159/000084879>.

Handayani P.A, A.A.M. (2013) “Pewarna Alami Batik dari Tanaman Nila (*Indigofera*) dengan Katalis Asam,” *Issn 2303-0623*, (Susanto 1973), hal. 1–6.

Hidrobromida, D. (2014) “Uji pengaruh surfaktan tween 80 dan span 80 terhadap solubilisasi dekstrometorfam hidrobromida,” 6(1).

Kurniawan, C. (2020) “Ekstraksi indigo dari daun *Strobilanthes cusia* dan kajian pembentukan kompleks dengan ion Ni^{2+} ,” *Jurnal Kimia dan Kemasan*, 42(2), hal. 93–99. Tersedia pada: <https://doi.org/10.24817/jkk.v42i2.5977>.

Laitonjam, W.S. dan Wangkheirakpam, S.D. (2011) “Comparative study of the major components of the indigo dye obtained from *Strobilanthes flaccidifolius* Nees. and *Indigofera tinctoria* Linn.,” *International Journal of Plant Physiology and Biochemistry*, 3(7), hal. 108–116. Tersedia pada: <http://www.academicjournals.org/ijppb>.

Li, L. *et al.* (1993) “Chemical studies of *Strobilanthes cusia*,” *Yao xue xue bao = Acta pharmaceutica Sinica*, 28(3).

Li, S. *et al.* (2019) “Identity blues: The ethnobotany of the indigo dyeing by Landian Yao (Iu Mien) in Yunnan, Southwest China,” *Journal of Ethnobiology and Ethnomedicine*, 15(1), hal. 1–14. Tersedia pada: <https://doi.org/10.1186/s13002-019-0289-0>.

Lusi, L. (2011) “Cara mengetahui ukuran suatu partikel,” *Nanotech Indonesia* [Preprint].

Maclurcan, D. dan Radywyl, N. (2012) *Nanotechnology and Global Sustainability, Nanotechnology and Global Sustainability*. Tersedia pada: <https://doi.org/10.4324/9780203166260>.

Mantzouris, D., Karapanagiotis, I. dan Panayiotou, C. (2014) “Comparison of

extraction methods for the analysis of *Indigofera tinctoria* and *Carthamus tinctorius* in textiles by high performance liquid chromatography,” *Microchemical Journal*, 115, hal. 78–86. Tersedia pada: <https://doi.org/10.1016/j.microc.2014.02.010>.

Melo, A.R.A. *et al.* (2020) “Effect of Ultra-Turrax on Nanocellulose Produced by Acid Hydrolysis and Modified by Nano ZnO by Sol-Gel Method,” *Materials Sciences and Applications*, 11(02), hal. 150.

Mintova, S. *et al.* (2021) “Nanosized microporous crystals : emerging applications To cite this version : HAL Id : hal-03154304,” 44(20), hal. 7207–7233.

Muzzazinah, M. (2016) “Ethnobotany of *Indigofera* in Indonesia,” *Bioedukasi: Jurnal Pendidikan Biologi*, 9(2), hal. 7. Tersedia pada: <https://doi.org/10.20961/bioedukasi-uns.v9i2.4000>.

Myers, D. (2020) *Surfactant science and technology*. John Wiley & Sons.

Nair, L.M. *et al.* (2003) “Determination of polysorbate 80 in parenteral formulations by high-performance liquid chromatography and evaporative light scattering detection,” *Journal of Chromatography A*, 1012(1), hal. 81–86. Tersedia pada: [https://doi.org/10.1016/S0021-9673\(03\)01105-1](https://doi.org/10.1016/S0021-9673(03)01105-1).

Nancy, N. dan Hawary, E. (2019) “High-Performance Natural Dyes for Cellulosic Fibers Review - part 1,” *Journal of Textiles, Coloration and Polymer Science*, 0(0). Tersedia pada: <https://doi.org/10.21608/jtcps.2019.8154.1018>.

van Os, N.M., Haak, J.R. dan Rupert, L.A.M. (2012) *Physico-chemical properties of selected anionic, cationic and nonionic surfactants*. Elsevier.

Pandit, P., Gayatri, T.N. dan Maiti, S. (2018) “Green and sustainable textile materials using natural resources,” *Green and Sustainable Advanced Materials: Volume 1: Processing and Characterization*, 1, hal. 213–261. Tersedia pada: <https://doi.org/10.1002/9781119407089.ch9>.

Rahayu, M.D. (2016) “Formulasi Mikroemulsi Minyak Kelapa Dengan Kombinasi Dua Surfaktan Tween 80 dan Gliseril Monostearat (GMS) Atau Dengan Lesitin.”

Rahmadevi, Hartesi, B. dan Wulandari, K. (2020) “Formulasi Sediaan Nanoemulsi Dari Minyak Ikan (*Oleum Iecoris* *) Menggunakan Metode Sonikasi,” *Journal of Healthcare Technology and Medicine*, 6(1), hal. 248–258.

Rosen, M.J. dan Kunjappu, J.T. (2012) *Surfactants and interfacial phenomena*. John Wiley & Sons.

Rowe, R.C., Sheskey, P. dan Quinn, M. (2009) *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press.

Saikhao, L. *et al.* (2017) “Comparison of sodium dithionite and glucose as a reducing agent for natural indigo dyeing on cotton fabrics,” *MATEC Web of Conferences*, 108, hal. 8–11. Tersedia pada: <https://doi.org/10.1051/matecconf/201710803001>.

Saikhao, L. *et al.* (2018) "Green reducing agents for indigo dyeing on cotton fabrics," *Journal of Cleaner Production*, 197, hal. 106–113. Tersedia pada: <https://doi.org/10.1016/j.jclepro.2018.06.199>.

Sanaji, J.B., Krismala, M.S. dan Liananda, F.R. (2019) "Pengaruh Konsentrasi Tween 80 Sebagai Surfaktan Terhadap Karakteristik Fisik Sediaan Nanoemulgel Ibuprofen," *IJMS-Indonesian Journal On Medical Science*, 6(2), hal. 88–91.

Shin, Y., Son, K. dan Yoo, D. Il (2014) "Development of Eco-friendly Reduction Process for Indigo Dyeing: Using *Hansenula misumaiensis* Strain," *Textile Coloration and Finishing*, 26(3), hal. 237–241.

Son, Y.A. *et al.* (2005) "Indigo adsorption properties to polyester fibers of different levels of fineness," *Dyes and Pigments*, 65(2), hal. 137–143. Tersedia pada: <https://doi.org/10.1016/j.dyepig.2004.07.008>.

Supriningsih, D. (2010) "Pembuatan Metil Ester Sulfonat (MES) sebagai Surfaktan untuk Enhanced Oil Recovery (EOR)," *Universitas Indonesia* [Preprint].

Swasono, A.W.P., Sianturi, P.D.E. dan Masyithah, Z. (2012) "Sintesis Surfaktan Alkil Poliglikosida dari Glukosa dan Dodekanol dengan Katalis Asam," *Jurnal Teknik Kimia USU*, 1(1), hal. 5–9.

Tambi, S. *et al.* (2021) "Cleaner Production of Dyed and Functional Polyester Using Natural Dyes vis-a-vis Exploration of Secondary Shades," *Progress in Color, Colorants and Coatings*, 14(2), hal. 121–128.

Taylor, P. (2007) "Comparative Analysis of the Properties of Tween - 20 , Comparative Analysis of the Properties of Tween-20 , Tween-60 ," (March 2013), hal. 37–41. Tersedia pada: <https://doi.org/10.1080/01932690601108045>.

Ticha, B.M. *et al.* (2013) "A promising route to dye cotton by indigo with an ecological exhaustion process: A dyeing process optimization based on a response surface methodology," *Industrial Crops and Products*, 46, hal. 350–358. Tersedia pada: <https://doi.org/10.1016/j.indcrop.2013.02.009>.

Wahyuni, R., Halim, A. dan Trifalmila, R. (2014) "Uji Pengaruh Surfaktan Tween 80 dan Span 80 Terhadap Solubilisasi Dekstrometorfan Hidrobromida," *Jurnal Farmasi Higea*, 6(1), hal. 1–10.

Wang, R. *et al.* (2016) "Syntheses of cardanol-based cationic surfactants and their use in emulsion polymerisation," *Chemical Papers*, 70(9), hal. 1218–1227. Tersedia pada: <https://doi.org/10.1515/chempap-2016-0052>.

Wang, W. dan Fu, S. (2019) "Manufacture of a super-stable green gel pen ink based on CNC-indigo," *Cellulose*, 27(2). Tersedia pada: <https://doi.org/10.1007/s10570-019-02853-8>.

Zhuang, G. *et al.* (2019) "A new durable pigment with hydrophobic surface based on natural nanotubes and indigo: Interactions and stability," *Journal of colloid and interface science*, 552, hal. 204–217.