

DAFTAR PUSTAKA

- Akilimali, R., Selopal, G. S., Benetti, D., Serrano-Esparza, I., Algarabel, P. A., De Teresa, J. M., Wang, Z. M., Stansfield, B., Zhao, H., & Rosei, F. (2018). Hybrid TiO₂-Graphene nanoribbon photoanodes to improve the photoconversion efficiency of dye sensitized solar cells. *Journal of Power Sources*, 396(April), 566–573. <https://doi.org/10.1016/j.jpowsour.2018.06.044>
- Al-Alwani, M. A. M., Mohamad, A. B., Ludin, N. A., Kadhum, A. A. H., & Sopian, K. (2016). Dye-sensitised solar cells: Development, structure, operation principles, electron kinetics, characterisation, synthesis materials and natural photosensitisers. *Renewable and Sustainable Energy Reviews*, 65, 183–213. <https://doi.org/10.1016/j.rser.2016.06.045>
- Andari, R. (2017). Sintesis dan Karakterisasi Dye Sensitized Solar Cells (DSSC) dengan Sensitizer Antosianin dari Bunga Rosella. *Jurnal Fisika Dan Aplikasinya*, 13(2), 88. <https://doi.org/10.12962/j24604682.v13i2.2751>
- Bashir, F. A., Febri, A., Hidayah, A. T., Nuraini, N. R. A., & Wulandari, N. (2016). *Pembersihan kaca TCO Pembuatan pasta Ekstraksi dye antocyanin Pembuatan counter elektroda Pembuatan counter elektroda Preparasi elektrolit Preparasi elektrolit*. 2016, 249–254.
- Chen. (2002). Plasma Diagnostics: Principles of plasma processing. *Energy*, 151–166.
- Dahlan, D., Leng, T. S., & Aziz, H. (2016). Dye Sensitized Solar Cells (Dssc) Dengan Sensitiser Dye Alami Daun Pandan, Akar Kunyit Dan Biji Beras Merah (Black Rice). In *Maret* (Vol. 8).
- Darmawan, M., & Wibowo, Y. D. S. (2016). Karakteristik Serat Nano Komposit Kitosan-Polivinil Alkohol (Pva) Dari Cangkang Rajungan Melalui Proses Electrospinning Production of Chitosan-Polyvinyl Alcohol (PVA) Composite Nanofiber by Electrospinning Method. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 11(2), 213–222.
- Deniz, A. E., Celebioglu, A., Kayaci, F., & Uyar, T. (2011). Electrospun polymeric nanofibrous composites containing TiO₂ short nanofibers. *Materials Chemistry and Physics*, 129(3), 701–704. <https://doi.org/10.1016/j.matchemphys.2011.06.018>
- Diantoro, M., Suprayogi, T., Hidayat, A., Taufiq, A., Fuad, A., & Suryana, R. (2018). Shockley's equation fit analyses for solar cell parameters from I-V curves. *International Journal of Photoenergy*, 2018(April). <https://doi.org/10.1155/2018/9214820>

- Dissanayake, S. S., Dissanayake, M. A. K. L., Seneviratne, V. A., Senadeera, G. K. R., & Thotawattage, C. A. (2016). Performance of Dye Sensitized Solar Cells Fabricated with Electrospun Polymer Nanofiber Based Electrolyte. *Materials Today: Proceedings*, 3(Icfmd 2015), S104–S111. <https://doi.org/10.1016/j.matpr.2016.01.014>
- Gong, J., Sumathy, K., Qiao, Q., & Zhou, Z. (2017). Review on dye-sensitized solar cells (DSSCs): Advanced techniques and research trends. *Renewable and Sustainable Energy Reviews*, 68(December 2015), 234–246. <https://doi.org/10.1016/j.rser.2016.09.097>
- Grätzel, M. (2003). Dye-sensitized solar cells. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 4(2), 145–153. [https://doi.org/10.1016/S1389-5567\(03\)00026-1](https://doi.org/10.1016/S1389-5567(03)00026-1)
- H Hardani, LM Angraeni, C Cari, A. S. (2019). Improved Performance of Dye-Sensitized Solar Cells With TiO₂. *Jurnal Fisika Flux*, 16(1).
- Haji, A., & Naebe, M. (2020). Cleaner dyeing of textiles using plasma treatment and natural dyes: A review. *Journal of Cleaner Production*, 265, 121866. <https://doi.org/10.1016/j.jclepro.2020.121866>
- Hardeli, S., & dkk. (2013). Dye Sensitized Solar Cells (DSSC) Berbasis Nanopori TiO₂ Menggunakan Antosianin dari Berbagai Sumber Alami. *Semirata FMIPA Universitas Lampung*, 155–162.
- Hastuti, E. (2017) (n.d.). *Analisa Difraksi Sinar X Tio 2 Dalam Penyiapan Bahan Sel Surya Tersensitisasi Pewarna*
- Indriawati, A. (2019). *Jurnal Fisika FLUX*. 16(2).
- Istirohah, T., Shah, S., Nor, N. A. M., Suprayogi, T., Diantoro, M., Hidayat, A., Taufiq, A., Supardi, Z. A. I., & Arof, A. K. (2020). Karakteristik Transfer Muatan pada DSSC dengan Fotoanoda Triple Layer Ag-TiO₂. *JPSE (Journal of Physical Science and Engineering)*, 4(1), 23–29. <https://doi.org/10.17977/um024v4i12019p023>
- Jiao, Y., Zhang, F., & Meng, S. (2011). Dye Sensitized Solar Cells Principles and New Design. *Solar Cells - Dye-Sensitized Devices*, September 2014. <https://doi.org/10.5772/21393>
- Khoiruddin. (2012). Ekstrak Beta Karoten Wortel (*Daucus Carota*) sebagai Dye Sensitizer pada DSSC. *Skripsi*, 1–53.

- Mamun, A., Trabelsi, M., Klöcker, M., Sabantina, L., Großerhode, C., Blachowicz, T., Grötsch, G., Cornelißen, C., & Streitenberger, A. (2019). Electrospun Nanofiber Mats with Embedded. *Mdpi*, 60(6), 1–10.
- Maulana Nafi, D. S. (2013). Aplikasi Semikonduktor TiO₂ dengan Variasi Temperatur dan Waktu Tahan Kalsinasi sebagai dye sensitized solar cell (dssc) dengan dye dari ekstrak buah terung belanda. *Jurnal Teknik Pomits*, 2(1), 2301–9271.
- Mohammad Anwarul Azim, A. Y. (2014). Effect of Electrospinning Parameters on Fiber Morphology of Tissue Engineering Scaffolds: A Review. *Journal of Fashion Technology & Textile Engineering*, 02(03). <https://doi.org/10.4172/2329-9568.1000114>
- Mohammad, A., & Morshed, A. (2014). *Application of Plasma Technology in Textile : A Nanoscale Finishing Process [Type the document title] Application of Plasma Technology in Textile : A Nanoscale Finishing Process By : Dr . Abu Mohammad Azmal Morshed. June.*
- Montallana, A. D. S., Lai, B. Z., Chu, J. P., & Vasquez, M. R. (2020). Enhancement of photodegradation efficiency of PVA/TiO₂ nanofiber composites via plasma treatment. *Materials Today Communications*, 24, 101183. <https://doi.org/10.1016/j.mtcomm.2020.101183>
- Mubarok, F. M. (2020). *Rancang Bangun Alat Electrospinning Dengan Metode Pembebanan Massa Untuk Aplikasi Pembuatan Serat Nano*. Bandung: Politeknik STTT Bandung.
- Mursalim, P. D. (2019). *Pengaruh Konsentrasi Larutan Dye Daun Tarum (Indigofera Tinctoria) terhadap Efisiensi Dye Sensitized Solar Cell (DSSC)*. <http://repositori.uin-alauddin.ac.id/id/eprint/14505>
- Nasikhudin, Ismaya, E. P., Diantoro, M., Kusumaatmaja, A., & Triyana, K. (2017). Preparation of PVA/TiO₂ Composites Nanofibers by using Electrospinning Method for Photocatalytic Degradation. *IOP Conference Series: Materials Science and Engineering*, 202(1). <https://doi.org/10.1088/1757-899X/202/1/012011>
- Nuryadi, R., Aprilia, L., Alaia, Z., & Junior, A. (n.d.). *Fabrikasi Sel Surya Tersensitasi Zat Warna Berbasis Semikonduktor Tio₂ Dengan Metode Elektroforesis*.
- Pangestuti, D. L., Gunawan, & Haris, A. (2008). Pembuatan Dye Sensitized Solar Cell (DSSC) dengan Sensitizer. *Jurnal Kimia Sains Dan Aplikasi*, 11(3), 70–77.

- Pasunu, C., Ys, H., Soekarno Hatta Km, J., & Bumi Tadulako Tondo Palu, K. (2017). Penentuan Efisiensi Dye Sensitized Solar Cell (Dssc) Menggunakan Ekstrak Buah Kaktus (*Opuntia elatior* Mill.) [Determination of Dye Sensitized Solar Cell (DSSC) Efficiency Used Cactus Fruit Extract (*Opuntia elatior* Mill.)]. *KOVALEN*, 3(3), 285–291.
- Peppas, N. A., & Hassan, C. M. (2000). Structure and applications of poly (vinyl alcohol) hydrogels produced by conventional crosslinking or by freezing / thawing methods. *Advances in Polymer Science*, 153, 37–65.
- Pera, P. (2018). *Skripsi Dye Sensitized Solar Cell (Dssc) Dengan Ekstrak Bunga Kenikir (Cosmos Caudatus) Sebagai Pemeka Cahaya Dye Sensitized Solar Cell With The Extract Of Kenikir Flower (Cosmos caudatus) AS*.
- Prianto, J., Galih Vidia Putra, V., & Ningsih Mohamad, J. (2021). *Pembuatan Serat Nano Pva/Tio2/Zat Warna Menggunakan Elektrosinning Sebagai Sel Surya Dssc Menggunakan Elektroda Kain Fiberglass/Tinta Karbon Abstrak* (Vol. 6, Issue 2).
- Prianto, J., Galih Vidia Putra, V., & Ningsih Mohamad, J. (2021). *Pembuatan Serat Nano Pva/Tio2/Zat Warna Menggunakan Elektrosinning Sebagai Sel Surya Dssc Menggunakan Elektroda Kain Fiberglass/Tinta Karbon Abstrak* (Vol. 6, Issue 2).
- Priyanto, B. (2014). Peningkatan Daya Keluaran Sel Surya Dengan Peningkatan Temperatur Permukaan Sel Surya. *Jurnal Neutrino*, 7(1), 49. <https://doi.org/10.18860/neu.v7i1.2639>
- Rahmawati Ar, V., Manurung, P., & dan Pulung Karo-Karo, J. (n.d.). *Pengaruh Variasi Polivinilpirolidon (PVP) Terhadap Pembentukan Serat Nano Titanium Dioksida (TiO2) Menggunakan Metode Electrosinning*. <https://jemit.fmipa.unila.ac.id/>
- Richhariya, G., Kumar, A., Tekasakul, P., & Gupta, B. (2017). Natural dyes for dye sensitized solar cell: A review. *Renewable and Sustainable Energy Reviews*, 69(April 2015), 705–718. <https://doi.org/10.1016/j.rser.2016.11.198>
- Sayed, U. A., Shirsat, A., Shinde, A., & Lahariya, A. (2017). *Manufacturing of Acrylic Fibres with Desirable Properties to Make Carbon Manufacturing of Acrylic Fibres with Desirable Properties to Make Carbon Fibres - Review. December*.
- Shah, Z. A., Zaib, K., & M, K. (2017). Dye Sensitized Solar Cells Based on Different Solvents: Comparative Study. *Journal of Fundamentals of Renewable Energy and Applications*, 07(04). <https://doi.org/10.4172/2090-4541.1000234>

- Sugumaran, S., & Bellan, C. S. (2014). Transparent nano composite PVA-TiO₂ and PMMA-TiO₂ thin films: Optical and dielectric properties. *Optik*, 125(18), 5128–5133. <https://doi.org/10.1016/j.ijleo.2014.04.077>
- Sukma, M., Kumara, W., Gontjang, D., Si, M., Fisika, J., Matematika, F., Ilmu, D., & Alam, P. (n.d.). *Studi Awal Fabrikasi Dye Sensitized Solar Cell (Dssc) Dengan Menggunakan Ekstraksi Daun Bayam (Amaranthus Hybridus L.) Sebagai Dye Sensitizer Dengan Variasi Jarak Sumber Cahaya Pada Dssc 1)*.
- Sulastriya Ningsi, dan. (2017). SINTESIS DAN KARAKTERISASI NANOPARTIKEL TITANIUM DIOKSIDA (TiO₂) MENGGUNAKAN METODE SONOKIMIA. In *JIF* (Vol. 9).
- Susan, A. I., Tayibnapis, A. S., Widodo, M., & Nur, M. (2016). Kajian Kelistrikan Plasma Pijar Korona Menggunakan Elektroda Multi Titik-Bidang Dalam Modifikasi Tekstil. *Arena Tekstil*, 31(1), 11–16. <https://doi.org/10.31266/at.v31i1.1393>
- Sutikno, & Ati, L. (2020). Musa Acuminata Bract extraction for dye sensitized solar cell fabrication with Microwave Irradiation. *Journal of Physics: Conference Series*, 1567(2). <https://doi.org/10.1088/1742-6596/1567/2/022014>
- Tayibnapis, A. S., & Sitohang, K. (2015). Rancang Bangun Prototip Mesin Plasma Tekstil Lucutan Korona Pada Tekanan Atmosfir Skala Laboratorium. *Arena Tekstil*, 30(1), 25–36. <https://doi.org/10.31266/at.v30i1.1946>
- Torchani, A. (2014). *Sensors & Transducers Fabrication and Characterization of Dye-Sensitized Solar Cells*. April 2016.
- Vitchuli, N., Shi, Q., Nowak, J., Nawalakhe, R., Sieber, M., Bourham, M., McCord, M., & Zhang, X. (2012). Plasma-electrospinning hybrid process and plasma pretreatment to improve adhesive properties of nanofibers on fabric surface. *Plasma Chemistry and Plasma Processing*, 32(2), 275–291. <https://doi.org/10.1007/s11090-011-9341-0>
- Wuriyandani, S., Rustana, C. E., & ... (2015). Pengembangan Pembangkit Listrik Tenaga Hibrida Menggunakan Turbin Angin Sumbu Vertikal Tipe Double-Stage Savonius Dan Panel *Nasional Fisika (E ...)*, IV, 167–170. <http://journal.unj.ac.id/unj/index.php/prosidingsnf/article/view/5209>
- Yun, J., Jin, D., Lee, Y. S., & Kim, H. Il. (2010). Photocatalytic treatment of acidic waste water by electrospun composite nanofibers of pH-sensitive hydrogel and TiO₂. *Materials Letters*, 64(22), 2431–2434. <https://doi.org/10.1016/j.matlet.2010.08.001>