

DAFTAR PUSTAKA

- Akbari, S. (2013). the Application of Dendritic Material in Textile Engineering. *Scientific Bulletin of ESCORENA*, 7(0), 11–28. <https://www.uav.ro/jour/index.php/sbe/article/view/112/109>
- American Association of Textile Chemists and Colorists. (2009). *Liquid Moisture Management Properties of Textile Fabrics_ (AATCC 195)*. 366–370. <https://members.aatcc.org/store/tm195/591/>
- Atanasova, D., Staneva, D., & Grabchev, I. (2021). Textile materials modified with stimuli-responsive drug carrier for skin topical and transdermal delivery. *Materials*, 14(4), 1–18. <https://doi.org/10.3390/ma14040930>
- Atav, R. (2018). Dendritic molecules and their use in water repellency treatments of textile materials. In *Waterproof and Water Repellent Textiles and Clothing*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-101212-3.00007-1>
- Atav, R., & Bariş, B. (2016). Dendrimer technology for water and oil repellent cotton textiles. *AATCC Journal of Research*, 3(2), 16–24. <https://doi.org/10.14504/ajr.3.2.3>
- Bhatia, D., & Malhotra, U. (2016). Thermophysiological Wear Comfort of Clothing: An Overview. *Journal of Textile Science & Engineering*, 06(02). <https://doi.org/10.4172/2165-8064.1000250>
- Chowdhury, K. P. (2018). Impact of Different Water Rpepellent Finishes on Cotton Double Jersey Fabrics. *Journal of Textile Science and Technology*, 04(03), 85–99. <https://doi.org/10.4236/jtst.2018.43006>
- Dai, B., Li, K., Shi, L., Wan, X., Liu, X., Zhang, F., Jiang, L., & Wang, S. (2019). Bioinspired Janus Textile with Conical Micropores for Human Body Moisture and Thermal Management. *Advanced Materials*, 31(41), 1–7. <https://doi.org/10.1002/adma.201904113>
- Das, A., & Alagirusamy, R. (2010). *Science in Clothing Comfort*. Woodhead Publishing India.
- Dora, S. K., & Wandelt, K. (2011). Recrystallization of tubules from natural lotus (*Nelumbo nucifera*) wax on a Au(111) surface. *Beilstein Journal of Nanotechnology*, 2(1), 261–267. <https://doi.org/10.3762/bjnano.2.30>
- du Toit, L. C., Pillay, V., & Choonara, Y. E. (2010). Nano-microbicides: Challenges in drug delivery, patient ethics and intellectual property in the war against HIV/AIDS. *Advanced Drug Delivery Reviews*, 62(4–5), 532–546. <https://doi.org/10.1016/j.addr.2009.11.022>
- Endiiarova, E. V., Osipov, A. A., Alexandrov, S. E., & Shakhmin, A. L. (2021). Superhydrophobic textile: treatment in aqueous solutions of aluminum salts. *Cellulose*, 28(11), 7455–7464. <https://doi.org/10.1007/s10570-021-04005-3>

- Esfand, R., & Tomalia, D. A. (2001). Poly(amidoamine) (PAMAM) dendrimers: From biomimicry to drug delivery and biomedical applications. *Drug Discovery Today*, 6(8), 427–436. [https://doi.org/10.1016/S1359-6446\(01\)01757-3](https://doi.org/10.1016/S1359-6446(01)01757-3)
- Goldman, R. F. (2005). The four “Fs” of clothing comfort. *Elsevier Ergonomics Book Series*, 3(C), 315–319. [https://doi.org/10.1016/S1572-347X\(05\)80050-3](https://doi.org/10.1016/S1572-347X(05)80050-3)
- Gulfam, R., & Chen, Y. (2022). Recent Growth of Wettability Gradient Surfaces: A Review. *Research*, 2022. <https://doi.org/10.34133/2022/9873075>
- Haraguchi, M., Hirai, T., Ozawa, M., Miyaji, K., & Tanaka, K. (2013). Hydrophobic acrylic hard coating by surface segregation of hyper-branched polymers. *Applied Surface Science*, 266, 235–238. <https://doi.org/10.1016/j.apsusc.2012.11.160>
- Hayes, S. G., & Venkatraman, P. (Eds.). (2018). *Materials and Technology for Sportswear and Performance Apparel*. CRC Press. <https://doi.org/10.1201/b19359>
- HMgroup.com. (2017, April). Case Study Phase out of Perfluorinated Compounds (PFCs). Diakses pada 20 Juni 2023, dari https://hmgroup.com/wp-content/uploads/2020/10/HM_Case-Study-Phase-out-PFC.pdf
- Holmquist, H., Schellenberger, S., van der Veen, I., Peters, G. M., Leonards, P. E. G., & Cousins, I. T. (2016a). Properties, performance and associated hazards of state-of-the-art durable water repellent (DWR) chemistry for textile finishing. *Environment International*, 91, 251–264. <https://doi.org/10.1016/j.envint.2016.02.035>
- Holmquist, H., Schellenberger, S., van der Veen, I., Peters, G. M., Leonards, P. E. G., & Cousins, I. T. (2016b). Properties, performance and associated hazards of state-of-the-art durable water repellent (DWR) chemistry for textile finishing. *Environment International*, 91, 251–264. <https://doi.org/10.1016/j.envint.2016.02.035>
- hu, J., li, yi, Yeung, K. W., Wong, A. S. W., & xu, W. (2005). Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties. *Textile Research Journal*, 75(1), 57–62. <https://doi.org/10.1177/004051750507500111>
- Hult, A., Johansson, M., & Malmström, E. (1999). Hyperbranched Polymers. *Branched Polymers II*, 143, 1–34. <https://doi.org/10.1007/3-540-49780-3>
- Hussainn, S., Glombikova, V., Akhtar, N., Mazari, A., Mansoor, T., & Khan, K. A. H. (2019). Liquid Moisture Transportation Properties of Functional Underwears: Part 1. *Autex Research Journal*, 19(2), 97–103. <https://doi.org/10.1515/aut-2018-0030>
- Kamalha, E., Zeng, Y., Mwasiagi, J. I., & Kyatuheire, S. (2013). The Comfort Dimension; a Review of Perception in Clothing. *Journal of Sensory Studies*, 28(6),

- 423–444. <https://doi.org/10.1111/joss.12070>
- Koch, K., & Ensikat, H. J. (2008). The hydrophobic coatings of plant surfaces: Epicuticular wax crystals and their morphologies, crystallinity and molecular self-assembly. *Micron*, 39(7), 759–772. <https://doi.org/10.1016/j.micron.2007.11.010>
- Krithika, S. M. U., Sampath, M. B., Prakash, C., & Kumar, M. S. (2019). Moisture management finish on woven fabrics. *Indian Journal of Fibre and Textile Research*, 44(4), 486–491.
- Macheke-Tendenguwo, L. R., Olowoyo, J. O., Mugivhisa, L. L., & Abafe, O. A. (2018). Per- and polyfluoroalkyl substances in human breast milk and current analytical methods. *Environmental Science and Pollution Research*, 25(36), 36064–36086. <https://doi.org/10.1007/s11356-018-3483-z>
- Mark, J. E. (2004). Some interesting things about polysiloxanes. *Accounts of Chemical Research*, 37(12), 946–953. <https://doi.org/10.1021/ar030279z>
- Mondal, M. I. H., & Saha, J. (2023). Fabrication of C6-Fluorocarbon-dendrimer-based superhydrophobic cotton fabrics for multifunctional aspects. *Cellulose*, 30(1), 639–663. <https://doi.org/10.1007/s10570-022-04881-3>
- Motlogelwa, S. (2018). Comfort and durability in high-performance clothing. In *High-Performance Apparel* (pp. 209–219). Elsevier. <https://doi.org/10.1016/B978-0-08-100904-8.00012-2>
- Namligoz, E. S., Bahtiyari, M. I., Hosaf, E., & Coban, S. (2009). Performance comparison of new (Dendrimer, Nanoproduct) and conventional water, oil and stain repellents. *Fibres and Textiles in Eastern Europe*, 76(5), 76–81.
- Okubo, M., Saeki, N., & Yamamoto, T. (2008). Development of functional sportswear for controlling moisture and odor prepared by atmospheric pressure nonthermal plasma graft polymerization induced by RF glow discharge. *Journal of Electrostatics*, 66(7–8), 381–387. <https://doi.org/10.1016/j.elstat.2008.03.003>
- Parker, A. R., & Lawrence, C. R. (2001). Water capture by a desert beetle. *Nature*, 414(6859), 33–34. <https://doi.org/10.1038/35102108>
- Poulsen, P. B., & Jensen, A. A. (2005). More Environmentally Friendly Alternatives to PFOS Compounds and PFOA. *Danish Ministry of the Environment, April*, 1–162. https://www.researchgate.net/publication/299431114_More_environmentally_friendly_alternatives_to_PFOS-compounds_and_PFOA <http://www.miljöindflydelse.dk/udgiv/Publications/2005/87-7614-668-5/pdf/87-7614-669-3.pdf> <http://www2.mst.dk/udgiv/publications/>
- Rajan, P. T., Prakash, C., & Ramakrishnan, G. (2019). An effect of fabrics thickness and structure on moisture management properties of 3D spacer fabrics.

- International Journal of Clothing Science and Technology*, 31(6), 777–789.
<https://doi.org/10.1108/IJCST-01-2019-0002>
- Rowen, J. W., & Gagliardi, D. (1947). Properties of water-repellent fabrics. *Journal of Research of the National Bureau of Standards*, 38(1), 103.
<https://doi.org/10.6028/jres.038.002>
- Schellenberger, S. (2019). *Towards an Informed Substitution of Durable Water Repellent Chemicals for Textiles*.
- Schindler, W. D., & Hauser, P. J. (2004). Chemical finishing processes. In *Chemical Finishing of Textiles*. <https://doi.org/10.1533/9781845690373.7>
- Scholl, M., Kadlecova, Z., & Klok, H. A. (2009). Dendritic and hyperbranched polyamides. *Progress in Polymer Science (Oxford)*, 34(1), 24–61.
<https://doi.org/10.1016/j.progpolymsci.2008.09.001>
- Skoog D.A., W. D. M. (1998). *Principle of Instrumental Analysis*.
- Subhas Ghosh, Sangeeta Yadav, N. V., & Sekosan, G. (2009). A study of antimicrobial property of textile fabric treated with modified dendrimers. <https://doi.org/DOI10.1002/app.31127>
- Tabor, J., Chatterjee, K., & Ghosh, T. K. (2020). Smart Textile-Based Personal Thermal Comfort Systems: Current Status and Potential Solutions. In *Advanced Materials Technologies* (Vol. 5, Issue 5).
<https://doi.org/10.1002/admt.201901155>
- Tang, W., Huang, Y., Meng, W., & Qing, F. L. (2010). Synthesis of fluorinated hyperbranched polymers capable as highly hydrophobic and oleophobic coating materials. *European Polymer Journal*, 46(3), 506–518.
<https://doi.org/10.1016/j.eurpolymj.2009.12.005>
- Vethandamoorthy, D., Mandawala, E., & Bandara, W. (2019). Development of silicone based water-resistant, chemical resistant moisture absorbent and non-ignitable fabric. *International Journal of Scientific & Engineering Research*, 10(5).
<http://www.ijser.org>
- Wang, H., Ding, J., Dai, L., Wang, X., & Lin, T. (2010). Directional water-transfer through fabrics induced by asymmetric wettability. *Journal of Materials Chemistry*, 20(37), 7938–7940. <https://doi.org/10.1039/c0jm02364g>
- Wells, A. F. (2014). Definitions for Hydrophilicity, Hydrophobicity, and Superhydrophobicity: Getting the Basics Right. *Journal of Physical Chemistry Letters*, 5(4), 686–688.
- Whittaker, M. H., & Heine, L. (2018). Toxicological and environmental issues associated with waterproofing and water repellent formulations. In *Waterproof and Water Repellent Textiles and Clothing*. Elsevier Ltd.
<https://doi.org/10.1016/B978-0-08-101212-3.00004-6>

- Widodo, M., Handayani, A. F., & Sumaryadi, G. (2020). Tailoring cotton fabric with wettability gradient and anisotropic penetration of liquid by spray coating. *The Journal of The Textile Institute*, 111(7), 972–984. <https://doi.org/10.1080/00405000.2019.1676509>
- Wulan Sari, N., Fajri, M. Y., & Anjas W. (2018). Analisis Fitokimia Dan Gugus Fungsi Dari Ekstrak Etanol Pisang Goroho Merah (*Musa Acuminata* (L)). *Ijobb*, 2(1), 30.
- Yao, B. guo, Li, Y., Hu, J. yan, Kwok, Y. lin, & Yeung, K. wing. (2006). An improved test method for characterizing the dynamic liquid moisture transfer in porous polymeric materials. *Polymer Testing*, 25(5), 677–689. <https://doi.org/10.1016/j.polymertesting.2006.03.014>
- Zhao, J., Zhu, W., Wang, X., Liu, L., Yu, J., & Ding, B. (2020). Fluorine-Free Waterborne Coating for Environmentally Friendly, Robustly Water-Resistant, and Highly Breathable Fibrous Textiles. *ACS Nano*, 14(1), 1045–1054. <https://doi.org/10.1021/acsnano.9b08595>
- Zhao, Y., Wang, H., Zhou, H., & Lin, T. (2017). Directional Fluid Transport in Thin Porous Materials and its Functional Applications. *Small*, 13(4), 1601070. <https://doi.org/10.1002/sml.201601070>
- Zhen, Q., Zhang, H., Li, H., Cui, J. Q., Cheng, J., & Liu, Y. (2021). Wettability Gradient-Structured Bicomponent Polylactic Acid-Viscose Composite Fabrics with Enhanced Asymmetric Water Penetration Characteristics. *ACS Applied Polymer Materials*, 3(7), 3354–3362. <https://doi.org/10.1021/acsapm.1c00249>