

DAFTAR PUSTAKA

- Alkan, C., Sari, A. and Karaipekli, A. (2011) 'Preparation, thermal properties and thermal reliability of microencapsulated n-eicosane as novel phase change material for thermal energy storage', in *Energy Conversion and Management*. Elsevier Ltd, pp. 687–692. doi: 10.1016/j.enconman.2010.07.047.
- Bakry, A. M. *et al.* (2015) 'Microencapsulation of Oils : A Comprehensive Review of Benefits , Techniques , and Applications', (November). doi: 10.1111/1541-4337.12179.
- Bo, H., Gustafsson, E. M. and Setterwall, F. (1999) 'Tetradecane and hexadecane binary mixtures as phase change materials (PCMs) for cool storage in district cooling systems', 24, pp. 1015–1028.
- Chandel, S. S. and Agarwal, T. (2017) 'Review of current state of research on energy storage , toxicity , health hazards and commercialization of phase changing materials', *Renewable and Sustainable Energy Reviews*. Elsevier, 67, pp. 581–596. doi: 10.1016/j.rser.2016.09.070.
- Chang, R. (2010) *CHEMISTRY*. 10th edn. Mc Graw Hill Higher Education.
- Chen, F. and Wolcott, M. P. (2014) 'Miscibility studies of paraffin / polyethylene blends as form -stable phase change materials', *EUROPEAN POLYMER JOURNAL*. Elsevier Ltd, 52, pp. 44–52. doi: 10.1016/j.eurpolymj.2013.09.027.
- Cho, K. and Choi, S. H. (2000) 'Thermal characteristics of para • n in a spherical capsule during freezing and melting processes', 43, pp. 3183–3196.
- Croda (2018) 'CrodaTherm™ ME29D', pp. 1–3.
- Frey, C. (2014) 'Fluid Bed Coating-Based Microencapsulation', in *Microencapsulation in the Food Industry*. Elsevier Inc., pp. 65–79. doi: 10.1016/b978-0-12-404568-2.00007-8.
- Hale, B. D. V *et al.* (1971) 'Nasa Contractor Report Nasa Cr-51363'.
- Hopp, B. *et al.* (2000) 'Solid state and liquid ablation of polyethylene-glycol 1000: Temperature dependence', *Optics Communications*, 181(4), pp. 337–343. doi: 10.1016/S0030-4018(00)00777-X.
- Iqbal, K. *et al.* (2019) 'Phase change materials, their synthesis and application in textiles—a review', *The Journal of The Textile Institute*. Taylor & Francis, 110(4), pp. 625–638. doi: 10.1080/00405000.2018.1548088.
- Jacob, R. and Bruno, F. (2015) 'Review on shell materials used in the encapsulation of phase change materials for high temperature thermal energy storage', *Renewable and Sustainable Energy Reviews*. Pergamon, 48, pp. 79–87. doi: 10.1016/J.RSER.2015.03.038.
- Jayasekara, R. *et al.* (2005) 'Biodegradability of a selected range of polymers and polymer blends and standard methods for assessment of biodegradation', *Journal*

of *Polymers and the Environment*, 13(3), pp. 231–251. doi: 10.1007/s10924-005-4758-2.

Konuklu, Y. and Erzin, F. (2019) ‘Preparation of pentadecane/poly(melamine-urea-formaldehyde) microcapsules for thermal energy storage applications’, *International Journal of Energy Research*, 43(12), pp. 6322–6326. doi: 10.1002/er.4346.

Krupa, I. and Mikova, G. (2007) ‘POLYMER Phase change materials based on low-density polyethylene / paraffin wax blends’, 43, pp. 4695–4705. doi: 10.1016/j.eurpolymj.2007.08.022.

Luyt, A. S. and Krupa, I. (2008) ‘Thermal behaviour of low and high molecular weight paraffin waxes used for designing phase change materials’, 467, pp. 117–120. doi: 10.1016/j.tca.2007.11.001.

Mondal, S. (2008a) ‘Phase change materials for smart textiles - An overview’, *Applied Thermal Engineering*, 28(11–12), pp. 1536–1550. doi: 10.1016/j.applthermaleng.2007.08.009.

Mondal, S. (2008b) ‘Phase change materials for smart textiles – An overview’, *Applied Thermal Engineering*. Pergamon, 28(11–12), pp. 1536–1550. doi: 10.1016/J.APPLTHERMALENG.2007.08.009.

Ormondroyd, G. A. and Composites, W. (2015) ‘Melamine Formaldehyde Resins Learn more about Melamine Formaldehyde Resins Adhesives for wood composites’, (1983).

Palanikkumar, M. *et al.* (2010) *Effect of emulsion preparation method on microencapsulation of n-octadecane using melamine-formaldehyde pre-polymers*, *Indian Journal of Fibre & Textile Research*.

Peng, H. *et al.* (2018) ‘N -Alkanes Phase Change Materials and Their Microencapsulation for Thermal Energy Storage: A Critical Review’, *Energy and Fuels*, 32(7), pp. 7262–7293. doi: 10.1021/acs.energyfuels.8b01347.

S. Himran, A. S. (1994) ‘Characterization of Alkanes and Paraffin Waxes for Application as Phase Change’, *Energy Sources Journal Volume*, 16(1), pp. 117–128.

Sanguansri, L. (2002) *Microencapsulation Methods Physycal Processes, Methods of Tissue Engineering*. doi: 10.1016/b978-012436636-7/50191-9.

Sarier, N. and Onder, E. (2012) ‘Organic phase change materials and their textile applications: An overview’, *Thermochimica Acta*. Elsevier, 540, pp. 7–60. doi: 10.1016/J.TCA.2012.04.013.

Sharma, S. D. (2005) ‘LATENT HEAT STORAGE MATERIALS AND SYSTEMS : A REVIEW’, pp. 1–56. doi: 10.1081/GE-200051299.

Shin, Y., Yoo, D.-I. and Son, K. (2005) ‘Development of thermoregulating textile materials with microencapsulated phase change materials (PCM). IV. Performance properties and hand of fabrics treated with PCM microcapsules’, *Journal of Applied Polymer Science*. John Wiley & Sons, Ltd, 97(3), pp. 910–915.

doi: 10.1002/app.21846.

Su, J., Wang, L. and Ren, L. (2006) 'Fabrication and thermal properties of MicroPCMs: Used melamine-formaldehyde resin as shell material', *Journal of Applied Polymer Science*, 101(3), pp. 1522–1528. doi: 10.1002/app.23151.

Zhang, H. *et al.* (2017) 'Effects of Polyvinyl Alcohol Modification on Microstructure, Thermal Properties and Impermeability of Microencapsulated n - Dodecanol as Phase Change Material', *ChemistrySelect*. Wiley-Blackwell, 2(29), pp. 9369–9376. doi: 10.1002/slct.201701529.

Zhang, H. and X. W. (2009) 'Solar Energy Materials & Solar Cells Synthesis and properties of microencapsulated n -octadecane with polyurea shells containing different soft segments for heat energy storage and thermal regulation', *Solar Energy Materials and Solar Cells*. Elsevier, 93(8), pp. 1366–1376. doi: 10.1016/j.solmat.2009.02.021.

Zhang, H. and Wang, X. (2009) 'Fabrication and performances of microencapsulated phase change materials based on n -octadecane core and resorcinol-modified melamine – formaldehyde shell', 332, pp. 129–138. doi: 10.1016/j.colsurfa.2008.09.013.

Liu, X., Rao, Z. and Huo, Y. (2014) 'Molecular dynamics simulation of the molar volumes and solubility parameters of straight alkanes', *Modern Physics Letters B*, 28(31). doi: 10.1142/S0217984914502406.

Trp, A. (2005) 'An experimental and numerical investigation of heat transfer during technical grade paraffin melting and solidification in a shell-and-tube latent thermal energy storage unit', 79, pp. 648–660. doi: 10.1016/j.solener.2005.03.006.

Kousksou, T. *et al.* (2010) 'Solar Energy Materials & Solar Cells Paraffin wax mixtures as phase change materials', *Solar Energy Materials and Solar Cells*. Elsevier, 94(12), pp. 2158–2165. doi: 10.1016/j.solmat.2010.07.005.

Ã, B. H., Martin, V. and Setterwall, F. (2004) 'Phase transition temperature ranges and storage density of paraffin wax phase change materials', 29, pp. 1785–1804. doi: 10.1016/j.energy.2004.03.002.

Nejman, A. and Goetzendorf-Grabowska, B. (2013) 'Heat balance of textile materials modified with the mixtures of PCM microcapsules', *Thermochimica Acta*. Elsevier B.V., 569, pp. 144–150. doi: 10.1016/j.tca.2013.07.023.

Wang, J. *et al.* (2014) 'Improved thermal properties of paraffin wax by the addition of TiO₂ nanoparticles', *Applied Thermal Engineering*, 73(2), pp. 1541–1547. doi: 10.1016/j.applthermaleng.2014.05.078.

Al-Shannaq, R. *et al.* (2015) 'Emulsion stability and cross-linking of PMMA microcapsules containing phase change materials', *Solar Energy Materials and Solar Cells*. North-Holland, 132, pp. 311–318. doi: 10.1016/J.SOLMAT.2014.08.036.

Bartkowiak, G. Żyła, Dałbrowska, A. and Marszałek, A. (2013) 'Analysis of thermoregulation properties of PCM garments on the basis of ergonomic tests', *Textile Research Journal*, 83(2), pp. 148–159. doi: 10.1177/0040517512460299.

Bendkowska, W. *et al.* (2005) 'Determining temperature regulating factor for apparel fabrics containing phase change material', *International Journal of Clothing Science and Technology*. Emerald Group Publishing Limited, 17(3/4), pp. 209–214. doi: 10.1108/09556220510590902.

Cao, F. and Yang, B. (2014) 'Supercooling suppression of microencapsulated phase change materials by optimizing shell composition and structure', *Applied Energy*. Elsevier, 113, pp. 1512–1518. doi: 10.1016/J.APENERGY.2013.08.048.

Carreira, A. S. *et al.* (2017) 'Preparation of acrylic based microcapsules using different reaction conditions for thermo-regulating textiles production', *European Polymer Journal*. Elsevier, 93(May), pp. 33–43. doi: 10.1016/j.eurpolymj.2017.05.027.

Do, C. Van, Nguyen, T. T. T. and Park, J. S. (2013) 'Phase-change core/shell structured nanofibers based on eicosane/poly(vinylidene fluoride) for thermal storage applications', *Korean Journal of Chemical Engineering*. Springer US, 30(7), pp. 1403–1409. doi: 10.1007/s11814-013-0046-3.

Farid, M. M. *et al.* (2004) 'A review on phase change energy storage: Materials and applications', *Energy Conversion and Management*, 45(9–10), pp. 1597–1615. doi: 10.1016/j.enconman.2003.09.015.

Fang, G. *et al.* (2009) 'Preparation and characterization of nano-encapsulated n-tetradecane as phase change material for thermal energy storage', *Chemical Engineering Journal*, 153(1–3), pp. 217–221. doi: 10.1016/j.cej.2009.06.019.

Feldman, D., Shapiro, M. M. and Banu, D. (1986) 'Organic phase change materials for thermal energy storage', *Solar Energy Materials*, 13(1), pp. 1–10. doi: 10.1016/0165-1633(86)90023-7.

Hale, D. V, Hoover, M. J. and O'Neill, M. J. (1971) *NASA CONTRACTOR REPORT NASA CR-51363 PHASE CHANGE MATERIALS HANDBOOK*. Available at: <https://ntrs.nasa.gov/search.jsp?R=19720012306> (Accessed: 27 April 2019).

Hassabo, A. G. *et al.* (2015) 'Metal salts rented in silica microcapsules as inorganic phase change materials for textile usage', (3).

Hawlater, M. N. A. N. A., Uddin, M. S. S. and Khin, M. M. (2003) 'Microencapsulated PCM thermal-energy storage system', *Applied Energy*. Elsevier, 74(1–2), pp. 195–202. doi: 10.1016/S0306-2619(02)00146-0.

He, B. and Setterwall, F. (2002) 'Technical grade paraffin waxes as phase change materials for cool thermal storage and cool storage systems capital cost estimation', 43, pp. 1709–1723.

Jamekhorshid, A., Sadrameli, S. M. and Bahramian, A. (2014) 'Process Optimization and Modeling of Microencapsulated Phase Change Material Using Response Surface Methodology', *Applied Thermal Engineering*. Elsevier Ltd. doi: 10.1016/j.applthermaleng.2014.05.011.

Khakzad, F. *et al.* (no date) 'Optimization of parameters in preparation of PCM microcapsules based on melamine formaldehyde through dispersion polymerization Facile and Fast Photosensing of Polarity by Stimuli-Responsive Materials Based on Spiropyran for Reusable Sensors: A Physico-Chemical Study on the Interactions View project CO2 Switchable Technology View project'. doi: 10.1007/s00396-013-3076-9.

Luyt, A. S. and Krupa, I. (2008) 'Thermal behaviour of low and high molecular weight paraffin waxes used for designing phase change materials', 467, pp. 117–120. doi: 10.1016/j.tca.2007.11.001.

Mohaddes, F. *et al.* (2014) 'Modification and evaluation of thermal properties of melamine-formaldehyde/n-eicosane microcapsules for thermo-regulation applications', *Applied Thermal Engineering*. Pergamon, 71(1), pp. 11–15. doi: 10.1016/J.APPLTHERMALENG.2014.06.016.

Nejman, A. and Cieślak, M. (2017) 'The impact of the heating/cooling rate on the thermoregulating properties of textile materials modified with PCM microcapsules', *Applied Thermal Engineering*, 127, pp. 212–223. doi: 10.1016/j.applthermaleng.2017.08.037.

Nelson, G. (2002) 'Application of microencapsulation in textiles', *International Journal of Pharmaceutics*. Elsevier, 242(1–2), pp. 55–62. doi: 10.1016/S0378-5173(02)00141-2.

North Carolina State University. Department of Textile and Apparel Technology and Management., K. *et al.* (2000) *Journal of textile and apparel technology and management: JTATM, Journal of Textile and Apparel, Technology and Management*. Dept. of Textile and Apparel Technology and Management. Available at: <http://ojs.cnr.ncsu.edu/index.php/JTATM/article/view/2414/1412> (Accessed: 20 April 2019). ODIAN, G. (2004) *Principles of Polimerization*.

Pizzi, A., Mittal, K. L. and Bhatnagar, N. (2017) 'Plasma Surface Treatment to Enhance Adhesive Bonding from: Handbook of Adhesive Technology', p. 3. doi: 10.1201/9781315120942-3.

Qiu, X. *et al.* (2012) 'Fabrication and characterization of microencapsulated n-octadecane with different crosslinked methylmethacrylate-based polymer shells', *Solar Energy Materials and Solar Cells*. North-Holland, 98, pp. 283–293. doi: 10.1016/J.SOLMAT.2011.11.018.

Sánchez, P. *et al.* (2010) 'Development of thermo-regulating textiles using paraffin wax microcapsules', *Thermochimica Acta*. Elsevier, 498(1–2), pp. 16–21. doi: 10.1016/J.TCA.2009.09.005.

Sánchez-Silva, L. *et al.* (2010) 'Synthesis and Characterization of Paraffin Wax Microcapsules with Acrylic-Based Polymer Shells', *Industrial & Engineering Chemistry Research*. American Chemical Society, 49(23), pp. 12204–12211. doi: 10.1021/ie101727b.

Sarbu, I. and Dorca, A. (2019) 'Review on heat transfer analysis in thermal energy storage using latent heat storage systems and phase change materials', *International Journal of Energy Research*. John Wiley & Sons, Ltd, 43(1), pp. 29–64. doi: 10.1002/er.4196.

Sarier, N. and Onder, E. (2007) 'The manufacture of microencapsulated phase change materials suitable for the design of thermally enhanced fabrics', 452, pp. 149–160. doi: 10.1016/j.tca.2006.08.002.

Shin, Y., Yoo, D.-I. and Son, K. (2005) 'Development of thermoregulating textile materials with microencapsulated phase change materials (PCM). II. Preparation and application of PCM microcapsules', *Journal of Applied Polymer Science*. John Wiley & Sons, Ltd, 96(6), pp. 2005–2010. doi: 10.1002/app.21438.

Skinner, C. G., Thomas, J. D. and Osterloh, J. D. (2010) 'Melamine Toxicity', pp. 50–55. doi: 10.1007/s13181-010-0038-1.

Srinivasaraonaik, B. *et al.* (2020) 'Microencapsulation of a eutectic PCM using in situ polymerization technique for thermal energy storage', *International Journal of Energy Research*, 44(5), pp. 3854–3864. doi: 10.1002/er.5182.

Tan, S. *et al.* (2013) 'Progress in Organic Coatings Preparation and properties studies of paraffin / high density polyethylene composites and phase-change coatings', *Progress in Organic Coatings*. Elsevier B.V., 76(12), pp. 1761–1764. doi: 10.1016/j.porgcoat.2013.05.013.

Tillet, G., Boutevin, B. and Ameduri, B. (2011) 'Chemical reactions of polymer crosslinking and post-crosslinking at room and medium temperature', *Progress in Polymer Science (Oxford)*. Elsevier Ltd, 36(2), pp. 191–217. doi: 10.1016/j.progpolymsci.2010.08.003.

